

Uniclass L72108:N5322+N5352	EPIC H12/5:Y4311
CI/SIB (74.26)	X (U32)+(U35)

# CONTOUR

*built-in independence*

## ISSUE

[www.contour-showers.co.uk](http://www.contour-showers.co.uk)  
**BUILT-IN INDEPENDENCE**  
**Lifetime Guarantee**  
 3D CAD DESIGN SERVICE

ECO-DEC®  
 shower doors

**WETROOMS**

Eagle TWO

**eco-save**

CARERSCREEN®

**SWIFT**

made in britain

**LEVEL ACCESS**

**FALCON**

shower trays

ShowerDec®

**Biomaster**

shower seats

**P12 PUMP**

**prinia**

LOW LEVEL

**gannet**

showers for the  
 less able & elderly



Certificate Number 12052  
 ISO 9001



Made in  
**Britain**



# SHOWER DOORS



Reverse hinge options available to enable the doors to fold into the shower area.  
**Suffix your door reference with R for reverse hinged door options: Eg: WF1LH-R**

## CORNER ACCESS, left handed options illustrated unless stated.

Where maximum access to the shower area is required. (\*WF2 & WF3 not handed unless doors are unequal sizes).

 <p><b>WF1</b></p> <p>Maximum size: A:1500mm B:1000mm</p>	 <p><b>WF2</b></p> <p>Maximum size: A:1200mm</p> <p><i>Not handed*</i></p>	 <p><b>WF3</b></p> <p>Maximum size: A:1500mm</p> <p><i>Left hand illustrated*</i></p>	 <p><b>WF4</b></p> <p>Maximum size: A:1600mm B:1500mm</p>	 <p><b>WF5</b></p> <p>Maximum size: Will fit an area over 875mm, max 1350mm.</p> <p><i>Not handed</i></p>
---	---	--	--	--

## FIXED PANELS ONLY

To maximise access, left hand illustrated.

 <p><b>WFX</b></p> <p>Maximum size: A: 1000mm</p>	 <p><b>WFY</b></p> <p>Maximum size: A: 1000mm</p>
--	--

## CORNER ACCESS WITH FIXED PANEL, left handed options illustrated unless stated.

Fixed panel allows for close siting of a WC or wash hand basin.

 <p><b>WF6</b></p> <p>Maximum size: A:1500mm B:900mm</p>	 <p><b>WF7</b></p> <p>Maximum size: A:1500mm B:900mm</p>	 <p><b>WF8</b></p> <p>Maximum size: A:1500mm B:1000mm</p>	 <p><b>WF9</b></p> <p>Maximum size: A: 1500mm B:1500mm</p>	 <p><b>WF10</b></p> <p>Maximum size: A: 1700mm B:1000mm</p>	 <p><b>WF11</b></p> <p>Maximum size: A: 1700mm B:1000mm</p>	 <p><b>WF12</b></p> <p>Maximum size: A: 1800mm B:1500mm</p>	 <p><b>WF13</b></p> <p>Maximum size: A: 1700mm B:1000mm</p>
--	---	--	---	--	---	--	--

## FRONT ACCESS, left handed options illustrated unless stated.

Provides maximum access to the shower area in an alcove situation.

 <p><b>WF14</b></p> <p>Maximum size: A: 1200mm</p>	 <p><b>WF15</b></p> <p>Maximum size: A: 1800mm</p> <p><i>Not handed</i></p>	 <p><b>WF16</b></p> <p>Maximum size: A: 1500mm</p>	 <p><b>WF17</b></p> <p>Maximum size: A: 2000mm</p>	 <p><b>WF18</b></p> <p>Maximum size: A: 1700mm</p>	 <p><b>WF19</b></p> <p>Maximum size: A: 2000mm</p> <p><i>Not handed</i></p>	 <p><b>WF20</b></p> <p>Maximum size: Will fit between three walls minimum 875mm, maximum 1350mm.</p>
--	--	---	---	---	---	---

## FRONT ACCESS WITH FIXED PANEL, left handed options illustrated unless stated.

Providing easy access across an alcove once occupied by a bath tub.


 <p><b>WF21</b></p> <p>Maximum size: A: 2000mm</p>	 <p><b>WF22</b></p> <p>Maximum size: A: 2500mm</p>	 <p><b>WF23</b></p> <p>Maximum size: A: 2000mm</p>	 <p><b>WF24</b></p> <p>Maximum size: A: 2500mm</p>	 <p><b>WF25</b></p> <p>Maximum size: A: 2000mm</p>	 <p><b>WF26</b></p> <p>Maximum size: A: 2500mm</p> <p><i>Not handed</i></p>	 <p><b>WF27</b></p> <p>Maximum size: Will fit between three walls minimum 1375mm, maximum 1850mm.</p>	 <p><b>WF35</b></p> <p>Maximum size: A: 2500mm</p>
--	---	---	---	---	---	--	---

## FRONT ACCESS WITH RETURN PANEL, left handed options illustrated unless stated.

A return panel will help to create an enclosed shower area.

 <p><b>WF28</b></p> <p>Maximum size: A: 1700mm B: 1000mm</p>	 <p><b>WF29</b></p> <p>Maximum size: A: 1200mm B: 1200mm</p>	 <p><b>WF30</b></p> <p>Maximum size: A: 1500mm B: 1200mm</p>	 <p><b>WF31</b></p> <p>Maximum size: A:1500mm B: 1200mm</p>	 <p><b>WF32</b></p> <p>Maximum size: A: 2000mm B: 1200mm</p>	 <p><b>WF33</b></p> <p>Maximum size: A: 1800mm B: 1200mm</p>	 <p><b>WF34</b></p> <p>Maximum size: A: 1800mm B: 1200mm</p>
--	---	---	--	---	--	---

# Round the clock antibacterial protection for home and healthcare



## Biomaster antibacterial protected shower trays are proven to inhibit the growth of bacteria by up to 99.99%

Bacteria, both good and bad, are a fact of life and they are all around us. Most bacteria are rendered harmless by the protective effects of our immune systems and some are beneficial. But several species of pathogenic bacteria, such as **Campylobacter, MRSA, E.coli, Legionella, Listeria and Salmonella** can make us ill.

Independently tested in thousands of applications, Biomaster is proven to inhibit the growth of these harmful bacteria and many others, and is **exclusively** built into our range of level and easy access shower trays.

**When it comes to healthcare environments – hospitals, care homes and home care, hygiene is critical.**

The use of Biomaster protected level and easy access shower trays in home and healthcare environments minimises the risk of organisms such as MRSA, E.coli and Legionella 24 hours a day, 7 days a week, forming a built-in protection against harmful bacteria.

### PROTECTION IN THE HOME.

Home is where the heart is; it's also where the germs lurk. It's impossible to keep your shower tray clean at all times, but level and easy access shower trays with Biomaster protection interrupt and inhibit the growth of harmful bacteria around the clock.

### PROTECTION IN HEALTHCARE.

Infections such as MRSA acquired during hospital stays are the most common complications of hospital care and one of the most serious patient safety concerns.

Shower trays featuring Biomaster are a key factor in reducing the risks of cross contamination within care homes and hospitals where the same facilities are used by different people a number of times per day.

### Is Biomaster safe?

Yes. It is based on silver ion technology, recognised for centuries with no harmful effects. It is also used in medical, food and water applications.

### Has Biomaster been tested?

Yes, repeatedly. Biomaster is tested to ISO standards as well as on-going quality control tests and environment trials.


### How long is Biomaster effective for?

Biomaster is effective for the lifetime of the shower tray. Built-in during the manufacturing process, Biomaster forms an integral part of each shower tray. It will not wash out or wear away and supports normal cleaning practices by working continuously to keep harmful bacteria and mould at bay.

### How effective are Biomaster protected shower trays?

When bacteria come into contact with the shower tray surface, the silver ions prevent them from growing, producing

energy or replicating, therefore they die, keeping your shower tray fresher for longer.



**'Built-in protection against harmful bacteria'**

Home is where the heart is. It's also where the germs lurk!

Contour shower trays with Biomaster protect against the dangers that can't be seen.

Every case of MRSA costs the National Health Service an extra £9,000. It is estimated that the total cost to the NHS has exceeded £1billion (source: Royal College of Physicians).

A home hygiene study carried out by the Hygiene Council found that in 12% of cases visibly clean surfaces were found to be heavily contaminated. The shower is categorised as high risk for the growth of bacteria.




To view freestanding cubicle options see pages 62 - 65.

Due to continued product development we reserve the right to amend details and prices without prior notice. February 2016

Why choose Contour Showers, 3D Design & Sustainability	2
<b>WET FLOOR AREAS</b> <i>A sloped area covered in tiles or vinyl flooring</i>	
Eco-dec® Floor Former	6
ShowerDec® Floor Former	10
<b>LEVEL ACCESS</b> <i>No height difference between the tray &amp; floor</i>	
Tern <b>*NEW*</b>	12
Swift	16
Eagle TWO	20
Osprey, Harrier, Merlin, Skylark, Swan & Stork	24
Sandmartin, Kingfisher, & Kite	28
<b>LOW LEVEL</b> <i>Up to 40mm in height</i>	
Falcon <b>*NEW SIZE AVAILABLE*</b>	32
Kestrel	38
Gannet	40
Peacock, Owl & Lapwing	44
<b>STEP-IN</b> <i>Above 40mm in height</i>	
Dove & Nightingale	48
Prinia	50
<b>SHOWER DOORS</b>	
Standard, Made to Measure & Luxe Options	54
Carerscreens®	60
Glass Screens	61
<b>CUBICLES</b> <i>A self contained showering area</i>	
Cubicle Range	62
<b>ANCILLARY ITEMS</b>	
Shower Waste Pumps	66
Eco-save Mixer Shower	70
Electric & Mixer Showers	72
Extractor Fans <b>*NEW*</b>	76
Clos-o-mat Palma Vita Automatic WC	77
Shower Seats	78
Grabrails & Hinged Arm Supports	82
Washbasins & Toilets <b>*NEW*</b>	86
Doc 'M' Packs	88
Height Adjustable Changing Bench	90
Swing Washbasin	91
Shower Wastes	92
Curtains & Curtain Rails	96
Shower Tray Ramps	98
<b>EXTRAS</b>	
Body Dryer, Contour Coving, Toilet Plinths, Window Kit, Wetroom Tanking Membrane, Service Pipe Ducting	99
<b>TRADITIONAL RANGE</b>	
Chaffinch, Dipper, Eagle 745, Eagle 845, Kittiwake, Mallard, Penguin, Ramp R04 & R05, Redwing, Teal & Wagtail	102





### Over 55 years experience

Contour Showers are at the forefront of the manufacture and supply of easy access showering solutions for the elderly and less able. We specialise in providing shower solutions for all challenging circumstances and individual needs.



### 24 hour turnaround

Order any stock item from our range before 12 noon and it will normally be despatched the same day for delivery within the UK mainland the **next working** day. Non-stock, bespoke shower doors are made to measure and despatched within **24 hours** for delivery within the UK mainland within 2 working days.



### Lifetime guarantee

All our shower tray's, shower doors, wetroom floor formers and own branded shower seats have a **lifetime guarantee**. Our guarantee applies to any manufacturing defects and is offered on all products provided they have been used in the manner they were intended. (**\*5 year for Tern tray**).



### Exclusive antibacterial protection

Only Contour easy access shower tray's incorporate Biomaster antibacterial protection. Biomaster has been proven to inhibit the growth of bacteria by up to 99.99% and is proven to be effective against antibiotic resistant bacteria such as resistant *Staphylococcus aureus* (MRSA) and Vancomycin-resistant *Enterococcus* (VRE), helping to prevent the risk of cross-contamination in high use areas.



### Sustainability

We are committed, wherever possible, to 'reducing whole life costs' of our products. For example our Eco-dec® range, which is manufactured from recycled plastic material, and our shower doors and P12 shower waste pump that are both made from components that are 100% recyclable.



### Website

A unique website built to assist with the specification process providing complete product details at the click of a mouse.

# Our Products

Contour Showers are accredited with **ISO 9001 Quality Management System** for the manufacture and supply of shower trays, wetroom floor formers, shower doors and shower accessories.

## Shower trays

### Quality and service guaranteed


- UK manufactured in-house to the highest standards.
- Lifetime guarantee. (\*5 year for Tern tray).
- Independently tested for strength and slip resistance.
- Withstand up to 42 stone in weight (270kg).
- Exclusively incorporating Biomaster antibacterial protection, see *inside front cover*.
- View our testing case study at [www.contour-showers.co.uk](http://www.contour-showers.co.uk)
- **NOT** suitable for power showers.



## Shower doors and glazing

### Strength and durability

- Complies with the British Standard for impact resistance and ISO 179 for impact performance.
- Translucent, impact resistant PET.
- 3mm thick, equivalent of toughened glass class B.
- Toughend safety glass: 4mm thick, EN 12150 compliant.
- Doors and hinges tested to 5000 opening and closing cycles to replicate extreme usage.



## Cubicles

- Glazed using indestructible Polypropylene exceeds all classifications.

## Eco-dec® floor formers

### Strength and durability


- Independently tested to replicate extreme usage.
- Eco-dec® demonstrated no detrimental effect after a seat, loaded with 30 stone, 190kg, was raised and dropped 22,180 times. Minimum load on an individual shower chair before cracking occurred was 5.5kN, the equivalent of 88 stone.





## View and decide upon a proposed adaptation before work commences.

- This service provides a clear visualisation of the proposed bathroom layout, helping to ensure the proposal is the right solution for the end users needs, capabilities and property.
- An invaluable tool when initial discussions and bathroom layouts are proposed, benefiting Occupational Therapists, Specifiers and end users alike.
- Not only generates a 3D image but also a fully dimensional, itemised floor plan, along with any necessary additional comments.
- Software licences available for use within your own organisation. Quickly produce your own visuals during initial discussions. Please ask for details.



**SITE ADDRESS:**  
Mr J Bloggs  
1 Any Street  
Any Town  
AB12 3CD

**CONTOUR SHOWERS AREA MANAGER:**  
A Manager 01234 567 890

**CLIENT:**  
A Housing Association

- 1 Swift 13445x845 Level Access Shower Tray with 'L' Shaped Curtain Rail & Curtain Ref - SWIF1345x845LHWF1LH
- 2 Redring Selectronic Premier Plus 9.5kW Ref - 06ES33-95

**PLEASE NOTE:**  
- Ceiling Height: 2330mm  
- Floor type: Wooden

This plan is produced from a site survey by a Contour Showers representative. Any decoration and furniture shown is for illustration purposes only. This plan is generated as part of the 3 dimensional representation and is not to be used as a working drawing. Contour Showers cannot be held responsible for any dimension details taken from this plan.

## Green credentials

- Eco-dec® floor formers are made from recycled plastic waste materials using the Powder Impression Moulding (PIM) process. (Developed by ERT plc).
- The PIM process allows us to improve our environmental footprint by adding new value to mixed plastic waste streams by conversion into added value products, which, in turn, can be recycled.
- The PIM process revolutionises mixed plastic waste disposal compared to traditional systems.

## Eco-dec® carbon footprint

- An independent assessment has calculated that the carbon footprint of Eco-dec® is between 60%-90% lower than equivalent products made from virgin materials currently sold in the UK.
- Eco-dec® contains **over 97%** recycled plastics from post consumer waste.
- The life cycle greenhouse gas emissions of this product are, on average, 64Kg CO2 equivalent per Eco-dec®.
- The product life cycle greenhouse gas emission of Contour Eco-dec® was assessed in accordance with BSi PAS 2050:2008 and is expressed in mass of carbon dioxide equivalent (CO2e).




The calculations have been performed by URS/Scott Wilson, a leading sustainability and environmental consultancy accredited with the Carbon Trust, using the same methodology and up to date emission factors published by DEFRA and the WORLD RESOURCES INSTITUTE (WRI).

Primary data has been used wherever possible, however, where it has been necessary to use secondary data or make assumptions a principal of conservativeness has been applied.

The PIM process starts with ordinary mixed plastic waste.



Carbon Footprints, 1300x800 floor formers



Eco-dec® Carbon Footprint

Activity	KG CO2 (equivalent)
Raw material manufacture	10
Raw material transport	0.2
Manufacture	52
Transport to warehouse	0.1
Disposal of waste product to landfill	2
<b>TOTAL</b>	<b>64</b>

## ECO-DEC®


The eco-friendly, easy to install, wetroom floor former.

- Quick and simple to install environmentally friendly floor formers that create level access wetrooms.
- Pre-formed surface eliminates the need and inconvenience of creating falls in a bathroom floor.
- Concealed underneath the vinyl or tiled flooring once installed.
- Allows the bathroom to become a wheelchair friendly or walk-in wetroom.
- Made in the UK from **over 97%** recycled plastic materials.
- The carbon footprint of an Eco-dec® is between 60% - 90% lower than equivalent products made from virgin materials.
- Only 24mm thick, easily locates in solid floors or wooden floors without the need for joist modification.
- Incredibly strong, yet light in weight for easier handling.
- Use effectively as part of the Environmental Management System, ISO14001.
- Can be cut in virtually any position using conventional wood working tools to allow precise installation.
- Designed to be used with floor tiles if preferred. A suitable tanking membrane would also be needed, see page 101.
- Lifetime guarantee.



Scan to view  
Eco-dec® details on  
your phone or tablet.





Eco-dec® cross section detail.



Remove an area of flooring to accept the 24mm Eco-dec®.



Make existing floor and Eco-dec® absolutely level using plywood.



Door corner blocks can be trimmed on site to accommodate floor coving and to fit Eco-dec®.

**To view door option images see pages 56 - 59 or use the inside front cover fold-out page.**

Reference	Tray Size		Reference	Tray Size	
	A	B		A	B
ED900x900*	900	900	ED1400x900	1400	900
ED1000x1000	1000	1000	ED1500x800	1500	800
ED1200x1200	1200	1200	ED1500x1000	1500	1000
ED1200x750	1200	750	ED1800x800	1800	800
ED1300x800	1300	800	ED1800x900	1800	900

\*Please note, ED900x900 is 22mm thick.  
Eco-decs® are not handed.

	Suits wooden floors		Supplied with gravity waste
	Suits screeded floors		CUW01 pumped waste available
	No height difference from the floor		1800x800mm & 1800x900mm: Cut to size bath replacement

## Waste details




- Supplied as standard with a 2 part, 50mm water seal trapped waste.
- Suitable for use with flexible sheet flooring.
- Flow rate in excess of 26 litres per minute.
- Pumped trap available if using in a waste pump situation.
- VSG1, valve shower gully, available where floor depth is restricted.

**See pages 93 & 95 for more details.**

# ECO-DEC®

Eco-dec® floor former options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.


## ECO-DEC® 900x900



**NOTE:** Eco-dec 900x900 is 22mm thick


Eco-dec 900x900 floor former illustrated above, not handed	<b>Reference Code</b> ED900x900
--	------------------------------------

## ECO-DEC® 1000x1000




Eco-dec 1000x1000 floor former illustrated above, not handed	<b>Reference Code</b> ED1000x1000
--	--------------------------------------

## ECO-DEC® 1200x750




Eco-dec 1200x750 floor former illustrated above, not handed	<b>Reference Code</b> ED1200x750
---	-------------------------------------

## ECO-DEC® 1200x1200




Eco-dec 1200x1200 floor former illustrated above, not handed	<b>Reference Code</b> ED1200x1200
--	--------------------------------------

## ECO-DEC® 1300x800




Eco-dec 1300x800 floor former illustrated above, not handed	<b>Reference Code</b> ED1300x800
---	-------------------------------------

## ECO-DEC® 1400x900




Eco-dec 1400x900 floor former illustrated above, not handed	<b>Reference Code</b> ED1400x900
---	-------------------------------------

## ECO-DEC® 1500x800




Eco-dec 1500x800 floor former illustrated above, not handed	<b>Reference Code</b> ED1500x800
---	-------------------------------------

## ECO-DEC® 1500x1000




Eco-dec 1500x1000 floor former illustrated above, not handed	<b>Reference Code</b> ED1500x1000
--	--------------------------------------

## ECO-DEC® 1800x800



Eco-dec 1800x800 floor former illustrated above, not handed	<b>Reference Code</b> ED1800x800
---	-------------------------------------

## ECO-DEC® 1800x900



Eco-dec 1800x900 floor former illustrated above, not handed	<b>Reference Code</b> ED1800x900
---	-------------------------------------

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Eco-dec & door package prices are opposite.

# ECO-DEC® & DOOR OPTIONS

This matrix indicates door options that can be used with each Eco-dec®.

Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	ECO-DEC 900x900	ECO-DEC 1000x1000	ECO-DEC 1200x750	ECO-DEC 1200x1200	ECO-DEC 1300x800	ECO-DEC 1400x900	ECO-DEC 1500x800	ECO-DEC 1500x1000	ECO-DEC 1800x800	ECO-DEC 1800x900
<b>ECO-DEC ONLY WITH WASTE*</b>	<b>N</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£462.00</b>	<b>£462.00</b>
<b>WF1</b>	<b>Y</b>	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00		
<b>WF2</b>	<b>N**</b>	£675.00	£675.00								
<b>WF3</b>	<b>N**</b>	£711.00	£711.00	£711.00	£711.00	£711.00	£711.00	£711.00	£711.00		
<b>WF4</b>	<b>Y</b>	£737.00	£737.00	£737.00	£737.00	£737.00	£737.00	£737.00	£737.00		
<b>WF5</b>	<b>N</b>	£762.00	£762.00		£762.00						
<b>WF6</b>	<b>Y</b>	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00		
<b>WF7</b>	<b>Y</b>	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00		
<b>WF8</b>	<b>Y</b>	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00		
<b>WF9</b>	<b>Y</b>	£726.00	£726.00	£726.00	£726.00	£726.00	£726.00	£726.00	£726.00		
<b>WF10</b>	<b>Y</b>	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00		
<b>WF11</b>	<b>Y</b>	£744.00	£744.00	£744.00	£744.00	£744.00	£744.00	£744.00	£744.00	£876.00	£876.00
<b>WF12</b>	<b>Y</b>		£759.00	£759.00	£759.00	£759.00	£759.00	£759.00	£759.00	£891.00	£891.00
<b>WF13</b>	<b>Y</b>		£741.00	£741.00	£741.00	£741.00	£741.00	£741.00	£741.00		
<b>WF14</b>	<b>Y</b>	£563.00	£563.00	£563.00	£563.00						
<b>WF15</b>	<b>N</b>	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00		
<b>WF16</b>	<b>Y</b>	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00		
<b>WF17</b>	<b>Y</b>		£644.00	£644.00	£644.00	£644.00	£644.00	£644.00	£644.00		
<b>WF18</b>	<b>Y</b>		£644.00	£644.00	£644.00	£644.00	£644.00	£644.00	£644.00		
<b>WF19</b>	<b>N</b>			£711.00	£711.00	£711.00	£711.00	£711.00	£711.00	£843.00	£843.00
<b>WF20</b>	<b>Y</b>	£618.00	£618.00	£618.00	£618.00	£618.00					
<b>WF21</b>	<b>Y</b>		£702.00	£702.00	£702.00	£702.00	£702.00	£702.00	£702.00	£834.00	£834.00
<b>WF22</b>	<b>Y</b>			£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	£854.00	£854.00
<b>WF23</b>	<b>Y</b>		£702.00	£702.00	£702.00	£702.00	£702.00	£702.00	£702.00	£834.00	£834.00
<b>WF24</b>	<b>Y</b>			£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	£854.00	£854.00
<b>WF25</b>	<b>Y</b>			£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	£854.00	£854.00
<b>WF26</b>	<b>N</b>					£748.00	£748.00	£748.00	£748.00	£880.00	£880.00
<b>WF27</b>	<b>Y</b>					£717.00	£717.00	£717.00	£717.00	£848.00	£848.00
<b>WF28</b>	<b>Y</b>	£721.00	£721.00	£721.00	£721.00	£721.00	£721.00	£721.00	£721.00		
<b>WF29</b>	<b>Y</b>	£711.00	£711.00	£711.00	£711.00						
<b>WF30</b>	<b>Y</b>	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00				
<b>WF31</b>	<b>Y</b>	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00				
<b>WF32</b>	<b>Y</b>			£759.00	£759.00	£759.00	£759.00	£759.00	£759.00	£891.00	£891.00
<b>WF33</b>	<b>Y</b>			£808.00	£808.00	£808.00	£808.00	£808.00	£808.00	£940.00	£940.00
<b>WF34</b>	<b>Y</b>			£808.00	£808.00	£808.00	£808.00	£808.00	£808.00	£940.00	£940.00
<b>WF35</b>	<b>Y</b>							£759.00	£759.00	£891.00	£891.00
<b>WFX</b>	<b>Y</b>	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£752.00	£752.00
<b>WFY</b>	<b>Y</b>	£570.00	£570.00	£570.00	£570.00	£570.00	£570.00	£570.00	£570.00	£701.00	£701.00

\*Prices stated above include a waste. If no waste is required deduct £25.00 off the above listed prices.

\*\*WF2 & WF3 are not handed unless doors are unequal widths.

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

Ordering is easy. Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the Eco-dec®, eg: ED900x900WF1LH.


### LUXE SILVER SATIN FINISH DOOR PRICES:

Deduct the Eco-dec® only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the Eco-dec® only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# SHOWERDEC®

A wetroom former range similar to Eco-dec® in functionality, but 22mm thick and manufactured from GRP. Size options illustrated below, use the shower door selector located on the inside front cover fold-out page to assist with your door selection.




ShowerDec 810x810 floor former illustrated above, not handed  
**Reference Code**  
 CSD810x810




ShowerDec 910x910 floor former illustrated above, not handed  
**Reference Code**  
 CSD910x910




ShowerDec 1000x1000 floor former illustrated above, not handed  
**Reference Code**  
 CSD1000x1000




ShowerDec 1200x1200 floor former illustrated above, not handed  
**Reference Code**  
 CSD1200x1200



ShowerDec 1300x800 floor former illustrated above, not handed  
**Reference Code**  
 CSD1300x800



ShowerDec 1400x900 floor former illustrated above, not handed  
**Reference Code**  
 CSD1400x900



ShowerDec 1500x800 floor former illustrated above, not handed  
**Reference Code**  
 CSD1500x800

## Waste details

- Supplied as standard with a 2 part, 50mm water seal trapped waste.
- Suitable for use with flexible sheet flooring.
- Flow rate in excess of 26 litres per minute.
- Pumped trap available if using in a waste pump situation.
- VSG1, valve shower gully, available where floor depth is restricted.



**See pages 93 & 95 for more details.**

**ShowerDec is trimmable by upto 30mm.**

If trimming by up to 30mm, it would be necessary to take 15mm off either edge.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. ShowerDec & door package prices are opposite.

# SHOWERDEC® & DOOR OPTIONS

This matrix indicates door options that can be used with each ShowerDec®.

Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	SHOWERDEC 810x810	SHOWERDEC 910x910	SHOWERDEC 1000x1000	SHOWERDEC 1200x1200	SHOWERDEC 1300x800	SHOWERDEC 1400x900	SHOWERDEC 1500x800
<b>SHOWERDEC ONLY WITH WASTE*</b>	<b>N</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>	<b>£328.00</b>
WF1	Y	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00
WF2	N**	£675.00	£675.00	£675.00				
WF3	N**	£711.00	£711.00	£711.00	£711.00	£711.00	£711.00	£711.00
WF4	Y		£737.00	£737.00	£737.00	£737.00	£737.00	£737.00
WF5	N		£762.00	£762.00	£762.00			
WF6	Y	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00
WF7	Y	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00
WF8	Y	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00	£705.00
WF9	Y	£726.00	£726.00	£726.00	£726.00	£726.00	£726.00	£726.00
WF10	Y	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00
WF11	Y	£744.00	£744.00	£744.00	£744.00	£744.00	£744.00	£744.00
WF12	Y				£759.00	£759.00	£759.00	£759.00
WF13	Y			£741.00	£741.00	£741.00	£741.00	£741.00
WF14	Y	£563.00	£563.00	£563.00	£563.00			
WF15	N	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00
WF16	Y	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00
WF17	Y			£644.00	£644.00	£644.00	£644.00	£644.00
WF18	Y			£644.00	£644.00	£644.00	£644.00	£644.00
WF19	N				£711.00	£711.00	£711.00	£711.00
WF20	Y	£618.00	£618.00	£618.00	£618.00	£618.00		
WF21	Y			£702.00	£702.00	£702.00	£702.00	£702.00
WF22	Y				£723.00	£723.00	£723.00	£723.00
WF23	Y			£702.00	£702.00	£702.00	£702.00	£702.00
WF24	Y				£723.00	£723.00	£723.00	£723.00
WF25	Y				£723.00	£723.00	£723.00	£723.00
WF26	N					£748.00	£748.00	£748.00
WF27	Y					£717.00	£717.00	£717.00
WF28	Y			£721.00	£721.00	£721.00	£721.00	£721.00
WF29	Y	£711.00	£711.00	£711.00	£711.00			
WF30	Y	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	
WF31	Y	£723.00	£723.00	£723.00	£723.00	£723.00	£723.00	
WF32	Y				£759.00	£759.00	£759.00	£759.00
WF33	Y			£808.00	£808.00	£808.00	£808.00	£808.00
WF34	Y			£808.00	£808.00	£808.00	£808.00	£808.00
WF35	Y							£759.00
WFX	Y	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00	£621.00
WFY	Y	£570.00	£570.00	£570.00	£570.00	£570.00	£570.00	£570.00

\*Prices stated above include a waste. If no waste is required deduct £25.00 off the above listed prices.

\*\*WF2 & WF3 are not handed unless doors are unequal widths.

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

Ordering is easy. Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the ShowerDec®, eg: CSD810x810WF1LH.

### LUXE SILVER SATIN FINISH DOOR PRICES:

Deduct the ShowerDec® only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the ShowerDec® only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# TERN

## The rotating, level access shower tray safeguarding independent showering and person centred care.

- Level access tray **safeguards independent** showering for users with restricted mobility who wish to shower themselves either standing or seated in a shower chair (*chair as shown*).
- Tray rotation reduces physical demands on the user and promotes **single carer handling** enabling effective full body cleansing.
- **Spend to save solution** improves user and carer efficiency by reducing showering time by up to half.
- **Care Act compliant.** Supports the users well-being and dignity and lessens the risk of carer related lifting injuries.
- **Space saving** - requires no turning circle within the bathroom. Transition into a shower chair can be made away from the shower area.
- Standard tray has a flat top surface for tiling down onto, or coved tray has tiling upstands which will accommodate wallboards or wall tiles.
- Hot seam weld vinyl sheet flooring directly to the tray's unique TRUESEAL2 watertight floor edge profile.
- Soft start/stop operation using wireless fob, with built-in safety time out. Can be used as a standard shower tray simply without using the wireless fob.
- Flat, anti-slip surface for an assured underfoot grip, unlike a wetroom which is sloped.
- Easy to install, maintenance free and comes with a **5 year guarantee**.
- Exclusively incorporates **Biomaster** antibacterial protection ensuring a clean, safe surface.
- Choose to easily dry the user with minimum effort by adding a Body Dryer, which will also keep the shower area dry, reducing the risk of slips, see page 99.
- Use with half height carer doors, a glass screen or a cubicle.



Scan to view  
Tern details on your  
phone or tablet.



Suitable for stationary  
or mobile shower chairs  
(A chair without  
footrests).






**Tray not handed**  
Standard tray illustrated.  
Ref: TERN1200



**Tray not handed**  
Covered tray with tiling upstand illustrated.  
Ref: TERN1225C



**A** - Floorboard or concrete flooring  
**B** - ¼" plywood    **C** - 2mm vinyl sheet flooring




Hot seam weld vinyl flooring directly to the Terns TRUESEAL2 profile. For use in tiled floor settings TRUESEAL2 is omitted, please state when ordering.



14mm tiling lip is watertight and will accept wall tiles or wallboards.

**To view door option images see pages 56 - 59 or use the inside front cover fold-out page.**



Reference	Tray Size			Application
	A	B	C	
TERN1200	1200	1200	875	Flat top tray
TERN1225C	1225	1225	875	Covered tiling upstand

For use in tiled floor settings TRUESEAL2 is omitted, please state when ordering.

	Suits wooden floors		Supplied with HEPVO Self Sealing waste
	Suits screeded floors		UPSW-3-22 Pumped waste available
	No height difference from the floor		

## Waste details

- Supplied as standard with a HEPvO self sealing gravity waste.
- 1½" inlet & outlet.
- Flow rate:  
Up to 35 litres per minute when fitted horizontally.  
Up to 70 litres per minute when fitted vertically.
- Out performs a conventional trap preventing the release of foul air.
- UPSW-3-22 available if using in a pumped waste installation.



**See pages 94 for details.**

*Before I had a Tern tray bathing was both physically and mentally draining, and was causing my family concern.*


*Now I shower in confidence and complete safety. I have retained my independence and I feel totally safe giving me and my family peace of mind.*

**Sarah, Cheshire**

# TERN


Tern shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.

**TERN 1200 - FLAT TOP TRAY**



Tern 1200x1200 shower tray illustrated above, not handed	<b>Reference Code</b> TERN1200
--	-----------------------------------

**TERN 1225 - COVED TRAY**



Tern 1225x1225 shower tray illustrated above, not handed	<b>Reference Code</b> TERN1225C
--	------------------------------------

*Before I had a Tern tray bathing was both physically and mentally draining, and was causing my family concern.*

*Now I shower in confidence and complete safety. I have retained my independence and I feel totally safe giving me and my family peace of mind.*

Sarah, Cheshire



View Sarah's Tern shower tray in action on YouTube or at our micro website:

**[www.theterntray.co.uk](http://www.theterntray.co.uk)**

Scan the above right QR code to view Tern tray details on your phone or tablet.

**To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tern & door package prices are opposite.**

# TERN & DOOR OPTIONS

This matrix indicates door options that can be used with each Tern. Prices are listed in GBP and exclude VAT.


OPTIONS	HANDED	TERN STD 1200x1200	TERN COVERED 1225x1225
<b>TRAY ONLY</b>	<b>N</b>	<b>£1500.00</b>	<b>£1500.00</b>
<b>WF1</b>	<b>Y</b>	£1871.00	£1871.00
<b>WF2</b>	<b>N</b>	£1839.00	£1839.00
<b>WF3</b>	<b>N</b>	£1877.00	£1877.00
<b>WF4</b>	<b>Y</b>	£1902.00	£1902.00
<b>WF5</b>	<b>N</b>	£1927.00	£1927.00
<b>WF6</b>	<b>Y</b>	£1871.00	£1871.00
<b>WF7</b>	<b>Y</b>	£1871.00	£1871.00
<b>WF8</b>	<b>Y</b>	£1871.00	£1871.00
<b>WF9</b>	<b>Y</b>	£1891.00	£1891.00
<b>WF10</b>	<b>Y</b>	£1887.00	£1887.00
<b>WF11</b>	<b>Y</b>	£1909.00	£1909.00
<b>WF12</b>	<b>Y</b>	£1924.00	£1924.00
<b>WF13</b>	<b>Y</b>	£1906.00	£1906.00
<b>WF14</b>	<b>Y</b>		
<b>WF15</b>	<b>N</b>		
<b>WF16</b>	<b>Y</b>		
<b>WF17</b>	<b>Y</b>		
<b>WF18</b>	<b>Y</b>		
<b>WF19</b>	<b>N</b>		
<b>WF20</b>	<b>Y</b>		
<b>WF21</b>	<b>Y</b>		
<b>WF22</b>	<b>Y</b>		
<b>WF23</b>	<b>Y</b>		
<b>WF24</b>	<b>Y</b>		
<b>WF25</b>	<b>Y</b>		
<b>WF26</b>	<b>N</b>		
<b>WF27</b>	<b>Y</b>		
<b>WF28</b>	<b>Y</b>	£1885.00	£1885.00
<b>WF29</b>	<b>Y</b>	£1877.00	£1877.00
<b>WF30</b>	<b>Y</b>	£1887.00	£1887.00
<b>WF31</b>	<b>Y</b>	£1887.00	£1887.00
<b>WF32</b>	<b>Y</b>	£1924.00	£1924.00
<b>WF33</b>	<b>Y</b>	£1974.00	£1974.00
<b>WF34</b>	<b>Y</b>	£1974.00	£1974.00
<b>WF35</b>	<b>Y</b>		
<b>WFX</b>	<b>Y</b>	£1784.00	£1784.00
<b>WFY</b>	<b>Y</b>	£1733.00	£1733.00



Easily dries the user properly with minimum effort and without using towels. Wash / dry method when used with a shower tray puts the user in complete control of their shower routine. See page 99.



Create a modern shower area with a 6mm clear toughened safety glass screen, See page 61.



Redring Selectronic is fully thermostatic with large, easy to use controls, See page 72.

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

**Ordering is easy.**  
Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: TERN1200WF1LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# SWIFT


## Barrier free, level access shower tray range using TRUESEAL2 floor edge profile.

- Provides a practical, corner entry showering solution for users with mobility difficulties or requiring wheelchair access.
- Hot seam weld vinyl sheet flooring directly onto the trays unique TRUESEAL2 floor edge profile, creating a perfectly secure watertight joint.
- Installing a Swift tray only requires the removal of ~18mm of flooring, the equivalent of a floorboard, (apart from the trap area where additional space is required).
- Locate in wooden or solid floor settings, minimal need for additional support under the tray required.
- Installation friendly, removes the need for intricate corner seam welds.
- Shower tray, enclosure and any ancillary equipment can be installed during one site visit, leaving the flooring to be fitted afterwards.
- **14mm** tiling lip is watertight and will accommodate wallboards or wall tiles.
- Can be used with floor tiles by omitting TRUESEAL2, please state when ordering.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates  antibacterial protection.
- Handed and non-handed tray options available.



Scan to view Swift details on your phone or tablet.





**A** - Floorboard or concrete flooring  
**B** - ¼" plywood    **C** - 2mm vinyl sheet flooring



Hot seam weld vinyl flooring directly to the Swifts TRUESEAL profile.




14mm tiling lip is watertight and will accept wall tiles or wallboards, no additional profiles required.



Swift in a tiled floor setting, TRUESEAL omitted. For use with tiled floors please state when ordering.

**To view door option images see pages 56 - 59 or use the inside front cover fold-out page.**



Tiling lip detail. Also used to secure the shower tray to the wall.

Reference	Tray Size		Reference	Tray Size	
	A	B		A	B
SWIF945*	945	945	SWIF1295	1295	745
SWIF1045*	1045	1045	SWIF1345	1345	845
SWIF1095	1095	795	SWIF1345x945	1345	945
SWIF1245*	1245	1245	SWIF1400**	1400	745

\* Denotes not handed trays.  
 \*\* SWIF1400 has three tiling lips for alcove installations (between three walls), and is also not handed.

	Suits wooden floors		Supplied with STW8B-95 gravity waste
	Suits screeded floors		UPSW-3-22 Pumped waste available
	No height difference from the floor		

## Waste details



- Supplied as standard with a STW8B-95 50mm water seal gravity waste.
- 95mm in depth.
- Flow rate in excess of 26 litres per minute in 15mm head of water.
- UPSW-3-22 available if using in a waste pump situation.


**See pages 92 & 94 for more details.**

# SWIFT

Swift shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.

LEVEL ACCESS


## SWIFT 945



Swift 945x945 shower tray illustrated above, not handed

Reference Code
SWIF945


## SWIFT 1045



Swift 1045x1045 shower tray illustrated above, not handed

Reference Code
SWIF1045


## SWIFT 1095



Swift 1095x795 shower tray illustrated above, left handed

Reference Code
SWIF1095LH
SWIF1095RH


## SWIFT 1245



Swift 1245x1245 shower tray illustrated above, not handed

Reference Code
SWIF1245


## SWIFT 1295



Swift 1295x745 shower tray illustrated above, left handed

Reference Code
SWIF1295LH
SWIF1295RH


## SWIFT 1345



Swift 1345x845 shower tray illustrated above, left handed

Reference Code
SWIF1345LH
SWIF1345RH


## SWIFT 1345x945



Swift 1345x945 shower tray illustrated above, left handed

Reference Code
SWIF1345x945LH
SWIF1345x945RH

## SWIFT 1400



**NOTE: SWIF1400 has three tiling lips for alcove installations (between three walls).**

Swift 1400 shower tray illustrated above, not handed

Reference Code
SWIF1400

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# SWIFT & DOOR OPTIONS

This matrix indicates door options that can be used with each Swift.

Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	SWIFT 945x945*	SWIFT 1045x1045*	SWIFT 1245x1245*	SWIFT 1095x795	SWIFT 1295x745	SWIFT 1345x845	SWIFT 1345x945	SWIFT 1400x745*
<b>TRAY ONLY</b>	<b>Y</b>	<b>£404.00</b>	<b>£427.00</b>	<b>£448.00</b>	<b>£427.00</b>	<b>£427.00</b>	<b>£427.00</b>	<b>£448.00</b>	<b>£427.00</b>
<b>WF1</b>	<b>Y</b>	£770.00	£791.00		£791.00	£791.00	£776.00	£811.00	
<b>WF2</b>	<b>N**</b>	£739.00	£760.00						
<b>WF3</b>	<b>N**</b>	£776.00	£797.00	£818.00	£797.00	£797.00	£781.00	£818.00	
<b>WF4</b>	<b>Y</b>		£822.00	£842.00	£822.00	£822.00	£806.00	£842.00	
<b>WF5</b>	<b>N</b>	£825.00	£846.00	£867.00				£867.00	
<b>WF6</b>	<b>Y</b>	£770.00	£791.00	£811.00	£791.00	£791.00	£776.00	£811.00	
<b>WF7</b>	<b>Y</b>	£770.00	£791.00		£791.00	£791.00	£776.00	£811.00	
<b>WF8</b>	<b>Y</b>	£770.00	£791.00		£791.00	£791.00	£776.00	£811.00	
<b>WF9</b>	<b>Y</b>	£789.00	£810.00	£832.00	£810.00	£810.00	£795.00	£832.00	
<b>WF10</b>	<b>Y</b>	£786.00	£808.00	£829.00	£808.00	£808.00	£792.00	£829.00	
<b>WF11</b>	<b>Y</b>	£807.00	£829.00	£849.00	£829.00	£829.00	£812.00	£849.00	
<b>WF12</b>	<b>Y</b>		£843.00	£864.00	£843.00	£843.00	£828.00	£864.00	
<b>WF13</b>	<b>Y</b>	£804.00	£826.00	£846.00	£826.00	£826.00	£809.00	£846.00	
<b>WF14</b>	<b>Y</b>								
<b>WF15</b>	<b>N</b>								£707.00
<b>WF16</b>	<b>Y</b>								£707.00
<b>WF17</b>	<b>Y</b>								£731.00
<b>WF18</b>	<b>Y</b>								£731.00
<b>WF19</b>	<b>N</b>								£797.00
<b>WF20</b>	<b>Y</b>								£704.00
<b>WF21</b>	<b>Y</b>								£787.00
<b>WF22</b>	<b>Y</b>								£808.00
<b>WF23</b>	<b>Y</b>								£787.00
<b>WF24</b>	<b>Y</b>								£808.00
<b>WF25</b>	<b>Y</b>								£808.00
<b>WF26</b>	<b>N</b>								
<b>WF27</b>	<b>Y</b>								£802.00
<b>WF28</b>	<b>Y</b>	£784.00	£806.00	£827.00	£806.00	£806.00	£790.00	£827.00	
<b>WF29</b>	<b>Y</b>	£776.00	£797.00						
<b>WF30</b>	<b>Y</b>	£786.00	£808.00	£829.00	£808.00	£808.00	£792.00	£829.00	
<b>WF31</b>	<b>Y</b>	£786.00	£808.00	£829.00	£808.00	£808.00	£792.00	£829.00	
<b>WF32</b>	<b>Y</b>			£864.00			£828.00	£864.00	
<b>WF33</b>	<b>Y</b>			£912.00	£892.00	£892.00	£876.00	£912.00	
<b>WF34</b>	<b>Y</b>			£912.00	£892.00	£892.00	£876.00	£912.00	
<b>WF35</b>	<b>Y</b>								
<b>WFX</b>	<b>Y</b>	£685.00	£707.00	£728.00	£707.00	£707.00	£691.00	£728.00	£707.00
<b>WFY</b>	<b>Y</b>	£635.00	£656.00	£677.00	£656.00	£656.00	£641.00	£677.00	£656.00

\*Denotes not handed trays      \*\*WF2 & WF3 are not handed unless doors are unequal widths  
 All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

LEVEL ACCESS

**Ordering is easy.**  
 Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: SWIF945WF1LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# EAGLE TWO


## Bath replacement, cut to length, level access shower tray range using TRUESEAL2.

- A showering solution where a bathtub is no longer practical for users with mobility difficulties or requiring wheelchair access.
- Hot seam weld vinyl sheet flooring directly onto the trays unique TRUESEAL2 floor edge profile, creating a perfectly secure watertight joint.
- Installing an Eagle TWO tray only requires the removal of ~18mm of flooring, the equivalent of a floorboard, (apart from the trap area where additional space is required).
- Shower tray, enclosure and any ancillary equipment can be installed during one site visit, leaving the flooring to be fitted afterwards.
- **14mm** tiling lip is watertight and will accommodate wallboards or wall tiles.
- With three tiling lips and a central waste position. Either end of the tray can be cut to determine the trays hand for easier installation.
- Cut to length from original length of 1850mm to fit exactly into the space left by a bath. End plate supplied to conceal the cut end when installed between three walls.
- Can be used with floor tiles by omitting TRUESEAL2, please state when ordering.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates  antibacterial protection.




Scan to view  
Eagle TWO details on  
your phone or tablet.






Tiling lip detail. Also used to secure the shower tray to the wall.



**A** - Floorboard or concrete flooring  
**B** - ¼" plywood    **C** - 2mm vinyl sheet flooring



Hot seam weld vinyl flooring directly to the Eagle TWO's TRUESEAL profile.



The end plate is used to conceal the shower trays cut end.



14mm tiling lip is watertight and will accept wall tiles or wallboards, no additional profiles required.

**To view door option images see pages 56 - 59 or use the inside front cover fold-out page.**



Reference	Tray Size		Cut to Length
	A	B	
ET745	1850	745	From 1850 to 1500mm
ET845	1850	845	From 1850 to 1500mm

Eagle TWO trays are not handed.

	Suits wooden floors		Supplied with ST90CPB-P-70 gravity waste
	Suits screeded floors		UPSW-4 pumped waste available
	No height difference from the floor		Cut to length bath replacement

## Waste details

- Supplied as standard with a ST90CPB-P-70 50mm water seal, 90mm diameter gravity waste.
- 70mm in depth.
- Flow rate approximately 35 litres per minute.
- UPSW-4 available if using in a waste pump situation.




**See pages 92 & 94 for more details.**

# EAGLE TWO


Eagle TWO shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.

## EAGLE TWO 745



Eagle TWO 1850x745 shower tray illustrated above, not handed	<b>Reference Code</b>	Cut to length minimum: 1500mm
	ET745	

## EAGLE TWO 845



Eagle TWO 1850x845 shower tray illustrated above, not handed	<b>Reference Code</b>	Cut to length minimum: 1500mm
	ET845	

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# EAGLE TWO & DOOR OPTIONS

This matrix indicates door options that can be used with each Eagle.

Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	EAGLE TWO 745 1850x745	EAGLE TWO 845 1850x845
<b>TRAY ONLY</b>	<b>N</b>	<b>£527.00</b>	<b>£598.00</b>
<b>WF1</b>	<b>Y</b>		
<b>WF2</b>	<b>N**</b>		
<b>WF3</b>	<b>N**</b>		
<b>WF4</b>	<b>Y</b>		
<b>WF5</b>	<b>N</b>		
<b>WF6</b>	<b>Y</b>		
<b>WF7</b>	<b>Y</b>		
<b>WF8</b>	<b>Y</b>		
<b>WF9</b>	<b>Y</b>		
<b>WF10</b>	<b>Y</b>		
<b>WF11</b>	<b>Y</b>		
<b>WF12</b>	<b>Y</b>		
<b>WF13</b>	<b>Y</b>		
<b>WF14</b>	<b>Y</b>		
<b>WF15</b>	<b>N</b>	£804.00	£874.00
<b>WF16</b>	<b>Y</b>	£804.00	£874.00
<b>WF17</b>	<b>Y</b>	£828.00	£897.00
<b>WF18</b>	<b>Y</b>	£828.00	£897.00
<b>WF19</b>	<b>N</b>	£894.00	£963.00
<b>WF20</b>	<b>Y</b>	£801.00	£871.00
<b>WF21</b>	<b>Y</b>	£884.00	£953.00
<b>WF22</b>	<b>Y</b>	£905.00	£974.00
<b>WF23</b>	<b>Y</b>	£884.00	£953.00
<b>WF24</b>	<b>Y</b>	£905.00	£974.00
<b>WF25</b>	<b>Y</b>	£905.00	£974.00
<b>WF26</b>	<b>N</b>	£930.00	£999.00
<b>WF27</b>	<b>Y</b>	£899.00	£968.00
<b>WF28</b>	<b>Y</b>		
<b>WF29</b>	<b>Y</b>		
<b>WF30</b>	<b>Y</b>		
<b>WF31</b>	<b>Y</b>		
<b>WF32</b>	<b>Y</b>		
<b>WF33</b>	<b>Y</b>		
<b>WF34</b>	<b>Y</b>		
<b>WF35</b>	<b>Y</b>	£941.00	£1009.00
<b>WFX</b>	<b>Y</b>	£804.00	£874.00
<b>WFY</b>	<b>Y</b>	£753.00	£823.00



Eagle TWO shower tray with right hand Option WF24 LUXE doors, tiled floor.



Eagle TWO shower tray with 800mm frameless glass screen. See page 61 for glass screen details.

LEVEL ACCESS

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

Ordering is easy. Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: ET745WF25LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# OSPREY, HARRIER, MERLIN, SKYLARK, SWAN & STORK

Level access for wheelchair or the ambulant user.

- Provides a practical, corner entry showering solution for users with mobility difficulties or requiring wheelchair access.
- **18mm** tiling lip can accommodate wallboards or wall tiles. Also used to secure the shower tray to the wall.
- Reinforced GRP construction.
- Suitable for wooden or solid floor situations. Requires floor excavation of approximately **40mm**. The void beneath the shower tray must be filled with a 'weak' sand and cement mix.
- Lifetime guarantee.
- Service pipe ducting available as an optional accessory to overcome pipework or to make the showering area larger, see page 101.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates  antibacterial protection.
- Handed and non handed tray options available.




Scan to view details on your phone or tablet.





Level access for those with mobility difficulties.




Void under the tray filled with a weak sand and cement mix.



Overcome pipework with a service ducting profile, see page 101.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.



Tiling lip detail.



Reference	Tray Size		Reference	Tray Size	
	A	B		A	B
SWAN	950	950	SKYLARK*	1250	700
STORK	1050	1050	OSPREY	1250	800
HARRIER	1050	750	MERLIN*	1250	800

All tray's are handed, except SWAN & STORK  
\*Have a centralised waste position.

LEVEL ACCESS	Suits wooden floors		Supplied with STW8B-95 gravity waste
	Suits screeded floors		UPSW-3-22 Pumped waste available
No height difference from the floor			

## Waste details

- Supplied as standard with a STW8B-95 50mm water seal gravity waste.
- 95mm in depth.
- Flow rate in excess of 26 litres per minute in 15mm head of water.
- UPSW-3-22 available if using in a waste pump situation.




See pages 92 & 94 for more details.

# OSPREY, HARRIER, MERLIN, SKYLARK, SWAN & STORK

Shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.


LEVEL ACCESS

## SWAN




Swan shower tray illustrated above, not handed	<b>Reference Code</b> SWAN
--	-------------------------------

## STORK




Stork shower tray illustrated above, not handed	<b>Reference Code</b> STOR
---	-------------------------------

## HARRIER



Harrier shower tray illustrated above, left handed	<b>Reference Code</b> HARRLH HARRRH
--	---

## SKYLARK




Skylark shower tray illustrated above, left handed	<b>Reference Code</b> SKYLLH SKYLRH
--	---

## OSPREY



Osprey shower tray illustrated above, left handed	<b>Reference Code</b> OSPRLH OSPRRH
---	---

## MERLIN



Merlin shower tray illustrated above, left handed	<b>Reference Code</b> MERLLH MERLRH
---	---

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# SHOWER TRAY & DOOR OPTIONS

This matrix indicates door options that can be used with each shower tray. Prices are listed in GBP and exclude VAT.

LEVEL ACCESS

OPTIONS	TRAY HANDED	SWAN* 950x950	STORK* 1050x1050	HARRIER 1050x750	SKYLARK 1250x700	OSPREY 1250x800	MERLIN 1250x800
<b>TRAY ONLY</b>	<b>Y</b>	<b>£374.00</b>	<b>£381.00</b>	<b>£388.00</b>	<b>£393.00</b>	<b>£404.00</b>	<b>£404.00</b>
<b>WF1</b>	<b>Y</b>	£740.00	£746.00	£753.00	£758.00	£770.00	£770.00
<b>WF2</b>	<b>N**</b>	£709.00	£716.00				
<b>WF3</b>	<b>N**</b>	£745.00	£752.00	£759.00	£764.00	£776.00	£776.00
<b>WF4</b>	<b>Y</b>	£771.00	£777.00		£789.00	£800.00	£800.00
<b>WF5</b>	<b>N</b>	£795.00	£802.00				
<b>WF6</b>	<b>Y</b>	£740.00	£746.00	£753.00	£758.00	£770.00	£770.00
<b>WF7</b>	<b>Y</b>	£740.00	£746.00	£753.00	£758.00	£770.00	£770.00
<b>WF8</b>	<b>Y</b>	£740.00	£746.00	£753.00	£758.00	£770.00	£770.00
<b>WF9</b>	<b>Y</b>	£759.00	£767.00	£774.00	£778.00	£789.00	£789.00
<b>WF10</b>	<b>Y</b>	£756.00	£763.00	£771.00	£776.00	£786.00	£786.00
<b>WF11</b>	<b>Y</b>	£777.00	£784.00	£791.00	£796.00	£807.00	£807.00
<b>WF12</b>	<b>Y</b>	£792.00	£799.00	£806.00	£810.00	£822.00	£822.00
<b>WF13</b>	<b>Y</b>	£775.00	£781.00	£788.00	£793.00	£804.00	£804.00
<b>WF14</b>	<b>Y</b>						
<b>WF15</b>	<b>N</b>						
<b>WF16</b>	<b>Y</b>						
<b>WF17</b>	<b>Y</b>						
<b>WF18</b>	<b>Y</b>						
<b>WF19</b>	<b>N</b>						
<b>WF20</b>	<b>Y</b>						
<b>WF21</b>	<b>Y</b>						
<b>WF22</b>	<b>Y</b>						
<b>WF23</b>	<b>Y</b>						
<b>WF24</b>	<b>Y</b>						
<b>WF25</b>	<b>Y</b>						
<b>WF26</b>	<b>N</b>						
<b>WF27</b>	<b>Y</b>						
<b>WF28</b>	<b>Y</b>			£769.00	£774.00	£784.00	£784.00
<b>WF29</b>	<b>Y</b>	£745.00	£752.00				
<b>WF30</b>	<b>Y</b>	£756.00	£763.00	£771.00	£776.00	£786.00	£786.00
<b>WF31</b>	<b>Y</b>	£756.00	£763.00	£771.00	£776.00	£786.00	£786.00
<b>WF32</b>	<b>Y</b>				£810.00	£822.00	£822.00
<b>WF33</b>	<b>Y</b>				£859.00	£871.00	£871.00
<b>WF34</b>	<b>Y</b>				£859.00	£871.00	£871.00
<b>WF35</b>	<b>Y</b>						
<b>WFX</b>	<b>Y</b>	£655.00	£662.00	£670.00	£675.00	£685.00	£685.00
<b>WFY</b>	<b>Y</b>	£605.00	£611.00	£619.00	£624.00	£635.00	£635.00

\*Denotes not handed trays      \*\*WF2 & WF3 are not handed unless doors are unequal widths  
 All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

**Ordering is easy.**  
 Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: OSPRLHWF1LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# SANDMARTIN, KINGFISHER & KITE

## Level access, bath replacement, cut to length to suit.

- A showering solution where a bathtub is no longer practical, for users with mobility difficulties or requiring wheelchair access.
- **18mm** tiling lip can accommodate wallboards or wall tiles. Also used to secure the shower tray to the wall.
- Reinforced GRP construction.
- Suitable for wooden or solid floor situations. Requires floor excavation of approximately **40mm**. The void beneath the shower tray must be filled with a 'weak' sand and cement mix.
- Cut to length tray, incorporating drying area, can be cut from its original length of 1850mm to fit exactly into the space left by a bath. End plate supplied to conceal the cut end.
- Lifetime guarantee.
- Service pipe ducting available as an optional accessory to overcome pipework or to make the showering area larger, see page 101.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates **Biomaster** ANTIBACTERIAL TECHNOLOGY antibacterial protection.
- Left or right hand tray options available.



Scan to view details  
on your phone or  
tablet.






Unrestricted level access and easy wheelchair entry.



Cut to length.




The end plate is used to conceal the shower trays cut end.



Void under the tray filled with a weak sand and cement mix.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.



Reference	Tray Size			Cut to Length
	A	B	C	
SANDMARTIN	1850	700	1070	From 1850 to 1120mm
KINGFISHER	1850	800	1170	From 1850 to 1220mm
KITE	1850	900	1225	From 1850 to 1295mm

All tray's are handed.

	Suits wooden floors		Supplied with STW8B-95 gravity waste
	Suits screeded floors		UPSW-3-22 Pumped waste available
	No height difference from the floor		Cut to length bath replacement

## Waste details




- Supplied as standard with a STW8B-95 50mm water seal gravity waste.
- 95mm in depth.
- Flow rate in excess of 26 litres per minute in 15mm head of water.
- UPSW-3-22 available if using in a waste pump situation.

See pages 92 & 94 for more details.

# SANDMARTIN, KINGFISHER & KITE

Shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.

## SANDMARTIN




Sandmartin 1850x700 shower tray illustrated above, left handed	Reference Code	Cut to length minimum: 1120mm
	SANDLH	
	SANDRH	

## KINGFISHER



Kingfisher 1850x800 shower tray illustrated above, left handed	Reference Code	Cut to length minimum: 1220mm
	KINGLH	
	KINGRH	

## KITE



Kite 1850x900 shower tray illustrated above, left handed	Reference Code	Cut to length minimum: 1295mm
	KITELH	
	KITERH	

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# SHOWER TRAY & DOOR OPTIONS

This matrix indicates door options that can be used with each shower tray. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	SANDMARTIN 1850x700	KINGFISHER 1850x800	KITE 1850x900
<b>TRAY ONLY</b>	<b>Y</b>	<b>£516.00</b>	<b>£602.00</b>	<b>£641.00</b>
<b>WF1</b>	<b>Y</b>			
<b>WF2</b>	<b>N**</b>			
<b>WF3</b>	<b>N**</b>	£884.00	£967.00	£1005.00
<b>WF4</b>	<b>Y</b>			
<b>WF5</b>	<b>N</b>			
<b>WF6</b>	<b>Y</b>			
<b>WF7</b>	<b>Y</b>	£878.00	£961.00	£999.00
<b>WF8</b>	<b>Y</b>			
<b>WF9</b>	<b>Y</b>	£898.00	£981.00	£1018.00
<b>WF10</b>	<b>Y</b>	£895.00	£978.00	£1015.00
<b>WF11</b>	<b>Y</b>			
<b>WF12</b>	<b>Y</b>	£931.00	£1013.00	£1051.00
<b>WF13</b>	<b>Y</b>	£912.00	£996.00	£1034.00
<b>WF14</b>	<b>Y</b>			
<b>WF15</b>	<b>N</b>	£794.00	£877.00	£914.00
<b>WF16</b>	<b>Y</b>	£794.00	£877.00	£914.00
<b>WF17</b>	<b>Y</b>	£818.00	£901.00	£939.00
<b>WF18</b>	<b>Y</b>	£818.00	£901.00	£939.00
<b>WF19</b>	<b>N</b>	£884.00	£967.00	£1005.00
<b>WF20</b>	<b>Y</b>	£791.00	£875.00	£911.00
<b>WF21</b>	<b>Y</b>	£875.00	£957.00	£995.00
<b>WF22</b>	<b>Y</b>	£895.00	£978.00	£1015.00
<b>WF23</b>	<b>Y</b>	£875.00	£957.00	£995.00
<b>WF24</b>	<b>Y</b>	£895.00	£978.00	£1015.00
<b>WF25</b>	<b>Y</b>	£895.00	£978.00	£1015.00
<b>WF26</b>	<b>N</b>	£920.00	£1003.00	£1040.00
<b>WF27</b>	<b>Y</b>	£889.00	£973.00	£1009.00
<b>WF28</b>	<b>Y</b>			
<b>WF29</b>	<b>Y</b>			
<b>WF30</b>	<b>Y</b>	£895.00	£978.00	£1015.00
<b>WF31</b>	<b>Y</b>	£895.00	£978.00	£1015.00
<b>WF32</b>	<b>Y</b>	£931.00	£1013.00	£1051.00
<b>WF33</b>	<b>Y</b>	£979.00	£1062.00	£1100.00
<b>WF34</b>	<b>Y</b>	£979.00	£1062.00	£1100.00
<b>WF35</b>	<b>Y</b>	£931.00	£1013.00	£1051.00
<b>WFX</b>	<b>Y</b>	£794.00	£877.00	£914.00
<b>WFY</b>	<b>Y</b>	£743.00	£827.00	£864.00



Sandmartin shower tray with right hand Option WF24 doors illustrated, vinyl floor.



Sandmartin shower tray with right hand Luxe Option WF24 doors illustrated, tiled floor.

LEVEL ACCESS

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

Ordering is easy. Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: SANDLHWF25LH.

### LUXE SILVER SATIN FINISH DOOR PRICES:

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# FALCON

Above ground, self supporting shower tray, only 40mm high.

- Low entry point for easy step-in access, only **40mm** high.
- Requires only the minimum amount of installation and disruption to a property.
- Suitable for wooden or solid floors.
- Can be recessed into the floor if required by 40mm for level access.
- Exceptionally strong, can rest unsupported on top of the existing bathroom floor without being bedded down onto a sand and cement mix.
- 1800x700mm & 1800x800mm shower trays can be cut down to 1500mm to fit exactly into the space left by a bathtub. End plate available to conceal the cut end of the tray when installed between three walls.
- Ramp R01, 800mm, or R02, 1850mm available as an optional accessory to assist wheelchair access, see page 98.
- Reinforced construction.
- Waste position situated to allow trap to avoid floor joists.
- Lifetime guarantee.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates  antibacterial protection.



Scan to view Falcon details on your phone or tablet.





Centralised or offset waste positions.



Low level access, only **40mm** high for easy access.




The end plate is used to conceal the shower trays cut end, FALC1800x700 & FALC1800x800.



Ramp R01 Ramp R02  
This ramp can be cut to length

An optional ramp will assist with wheelchair access, see page 98.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.



Reference	Tray Size		Reference	Tray Size	
	A	B		A	B
FALC900x900*	900	900	FALC1400x700	1400	700
FALC1000x700	1000	700	FALC1400x800	1400	800
FALC1000x1000	1000	1000	FALC1500x700	1500	700
FALC1100x800*	1100	800	FALC1700x700	1700	700
FALC1200x800	1200	800	FALC1800x700**	1800	700
FALC1300x700	1300	700	FALC1800x800**	1800	800
FALC1300x800	1300	800			

Falcon trays are not handed

\* Have an offset waste position, see overleaf

\*\*FALC1800x700 & 1800x800 can be cut to length from 1800mm to 1500mm.

	Suits wooden floors		Supplied with STW8B-95 gravity waste
	Suits screeded floors		UPSW-3-22 Pumped waste available
	Above ground tray, only 40mm high		1800x700mm & 1800x800mm: Cut to size bath replacement

## Waste details



- Supplied as standard with a STW8B-95 50mm water seal gravity waste.
- 95mm in depth.
- Flow rate in excess of 26 litres per minute in 15mm head of water.
- UPSW-3-22 available if using in a waste pump situation.


See pages 92 & 94 for more details.

# FALCON

Falcon shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.


LOW LEVEL

## FALCON 900x900




Falcon 900x900 shower tray illustrated above, not handed  
**Reference Code**  
 FALC900x900

## FALCON 1000x700




Falcon 1000x700 shower tray illustrated above, not handed  
**Reference Code**  
 FALC1000x700

## FALCON 1000x1000




Falcon 1000x1000 shower tray illustrated above, not handed  
**Reference Code**  
 FALC1000x1000

## FALCON 1100x800




Falcon 1100x800 shower tray illustrated above, not handed  
**Reference Code**  
 FALC1100x800

## FALCON 1200x800




Falcon 1200x800 shower tray illustrated above, not handed  
**Reference Code**  
 FALC1200x800

## FALCON 1300x700



Falcon 1300x700 shower tray illustrated above, not handed  
**Reference Code**  
 FALC1300x700

## FALCON 1300x800




Falcon 1300x800 shower tray illustrated above, not handed  
**Reference Code**  
 FALC1300x800

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# FALCON

This matrix indicates door options that can be used with each Falcon. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	FALCON 900x900	FALCON 1000x700	FALCON 1000x1000	FALCON 1100x800	FALCON 1200x800	FALCON 1300x700	FALCON 1300x800
<b>TRAY ONLY</b>	<b>N</b>	<b>£357.00</b>	<b>£381.00</b>	<b>£434.00</b>	<b>£413.00</b>	<b>£429.00</b>	<b>£413.00</b>	<b>£435.00</b>
<b>WF1</b>	<b>Y</b>	£739.00	£761.00	£814.00	£793.00	£809.00	£793.00	£815.00
<b>WF2</b>	<b>N**</b>	£707.00	£731.00					
<b>WF3</b>	<b>N**</b>	£745.00	£768.00	£821.00	£799.00	£815.00	£799.00	£822.00
<b>WF4</b>	<b>Y</b>		£793.00	£846.00	£825.00	£841.00	£825.00	£847.00
<b>WF5</b>	<b>N</b>	£795.00		£871.00				
<b>WF6</b>	<b>Y</b>	£739.00	£761.00	£814.00	£793.00	£809.00	£793.00	£815.00
<b>WF7</b>	<b>Y</b>	£739.00	£761.00	£814.00	£793.00	£809.00	£793.00	£815.00
<b>WF8</b>	<b>Y</b>	£739.00	£761.00	£814.00	£793.00	£809.00	£793.00	£815.00
<b>WF9</b>	<b>Y</b>	£758.00	£782.00	£835.00	£813.00	£830.00	£813.00	£836.00
<b>WF10</b>	<b>Y</b>	£756.00	£779.00	£832.00	£810.00	£827.00	£810.00	£833.00
<b>WF11</b>	<b>Y</b>	£777.00	£800.00	£853.00	£832.00	£848.00	£832.00	£854.00
<b>WF12</b>	<b>Y</b>		£815.00	£867.00	£847.00	£862.00	£847.00	£869.00
<b>WF13</b>	<b>Y</b>	£774.00	£797.00	£850.00	£829.00	£845.00	£829.00	£851.00
<b>WF14</b>	<b>Y</b>	£594.00	£618.00	£670.00	£649.00			
<b>WF15</b>	<b>N</b>	£653.00	£676.00	£729.00	£707.00	£724.00	£707.00	£730.00
<b>WF16</b>	<b>Y</b>	£653.00	£676.00	£729.00	£707.00	£724.00	£707.00	£730.00
<b>WF17</b>	<b>Y</b>		£700.00	£753.00	£732.00	£748.00	£732.00	£754.00
<b>WF18</b>	<b>Y</b>		£700.00	£753.00	£732.00	£748.00	£732.00	£754.00
<b>WF19</b>	<b>N</b>			£821.00	£799.00	£815.00	£799.00	£822.00
<b>WF20</b>	<b>Y</b>			£726.00	£704.00	£721.00	£704.00	£727.00
<b>WF21</b>	<b>Y</b>			£810.00	£789.00	£805.00	£789.00	£811.00
<b>WF22</b>	<b>Y</b>					£827.00	£810.00	£833.00
<b>WF23</b>	<b>Y</b>			£810.00	£789.00	£805.00	£789.00	£811.00
<b>WF24</b>	<b>Y</b>					£827.00	£810.00	£833.00
<b>WF25</b>	<b>Y</b>					£827.00	£810.00	£833.00
<b>WF26</b>	<b>N</b>							
<b>WF27</b>	<b>Y</b>							
<b>WF28</b>	<b>Y</b>	£754.00	£777.00	£830.00	£808.00	£825.00	£808.00	£831.00
<b>WF29</b>	<b>Y</b>	£745.00	£768.00					
<b>WF30</b>	<b>Y</b>	£756.00	£779.00	£832.00	£810.00	£827.00	£810.00	£833.00
<b>WF31</b>	<b>Y</b>	£756.00	£779.00	£832.00	£810.00	£827.00	£810.00	£833.00
<b>WF32</b>	<b>Y</b>			£867.00	£847.00	£862.00	£847.00	£869.00
<b>WF33</b>	<b>Y</b>						£896.00	£918.00
<b>WF34</b>	<b>Y</b>						£896.00	£918.00
<b>WF35</b>	<b>Y</b>							
<b>WFX</b>	<b>Y</b>	£653.00	£676.00	£729.00	£707.00	£724.00	£707.00	£730.00
<b>WFY</b>	<b>Y</b>	£601.00	£625.00	£677.00	£656.00	£672.00	£656.00	£678.00



Falcon1300x700 shower tray with right hand Option WF3 Luxe doors illustrated.

LOW LEVEL

**\*\*WF2 & WF3 are not handed unless doors are unequal widths**  
**All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.**

**Ordering is easy.**  
 Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: **FALC900x900WF1LH.**

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with **LUX** for Luxe doors & **LUX-G** for Luxe doors with toughened safety glass.

# FALCON

Falcon shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.

LOW LEVEL

## FALCON 1400x700



Falcon 1400x700 shower tray illustrated above, not handed	<b>Reference Code</b> FALC1400x700
---	---------------------------------------

## FALCON 1400x800



Falcon 1400x800 shower tray illustrated above, not handed	<b>Reference Code</b> FALC1400x800
---	---------------------------------------

## FALCON 1500x700




Falcon 1500x700 shower tray illustrated above, not handed	<b>Reference Code</b> FALC1500x700
---	---------------------------------------

## FALCON 1700x700



Falcon 1700x700 shower tray illustrated above, not handed	<b>Reference Code</b> FALC1700x700
---	---------------------------------------


## FALCON 1800x700



Falcon 1800x700 shower tray illustrated above, not handed	<b>Reference Code</b> FALC1800x700
---	---------------------------------------

Cut to length minimum: 1500mm

## FALCON 1800x800



Falcon 1800x800 shower tray illustrated above, not handed	<b>Reference Code</b> FALC1800x800
---	---------------------------------------

Cut to length minimum: 1500mm

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# FALCON

This matrix indicates door options that can be used with each Falcon. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	FALCON 1400x700	FALCON 1400x800	FALCON 1500x700	FALCON 1700x700	FALCON 1800x700	FALCON 1800x800
<b>TRAY ONLY</b>	<b>N</b>	<b>£436.00</b>	<b>£436.00</b>	<b>£457.00</b>	<b>£540.00</b>	<b>£568.00</b>	<b>£635.00</b>
<b>WF1</b>	<b>Y</b>	£816.00	£816.00	£838.00			
<b>WF2</b>	<b>N**</b>						
<b>WF3</b>	<b>N**</b>	£823.00	£823.00	£844.00			
<b>WF4</b>	<b>Y</b>	£848.00	£848.00	£869.00			
<b>WF5</b>	<b>N</b>						
<b>WF6</b>	<b>Y</b>	£816.00	£816.00				
<b>WF7</b>	<b>Y</b>	£816.00	£816.00	£838.00			
<b>WF8</b>	<b>Y</b>	£816.00	£816.00	£838.00			
<b>WF9</b>	<b>Y</b>	£837.00	£837.00	£858.00			
<b>WF10</b>	<b>Y</b>	£834.00	£834.00	£855.00			
<b>WF11</b>	<b>Y</b>	£855.00	£855.00	£876.00			
<b>WF12</b>	<b>Y</b>	£870.00	£870.00	£891.00	£973.00		
<b>WF13</b>	<b>Y</b>	£852.00	£852.00	£873.00			
<b>WF14</b>	<b>Y</b>						
<b>WF15</b>	<b>N</b>	£731.00	£731.00	£752.00			£928.00
<b>WF16</b>	<b>Y</b>	£731.00	£731.00	£752.00			£928.00
<b>WF17</b>	<b>Y</b>	£755.00	£755.00	£776.00	£858.00		£952.00
<b>WF18</b>	<b>Y</b>	£755.00	£755.00	£776.00			£952.00
<b>WF19</b>	<b>N</b>	£823.00	£823.00	£844.00	£926.00	£953.00	£1019.00
<b>WF20</b>	<b>Y</b>						
<b>WF21</b>	<b>Y</b>	£812.00	£812.00	£834.00	£915.00		£1009.00
<b>WF22</b>	<b>Y</b>	£834.00	£834.00	£855.00	£937.00	£963.00	£1031.00
<b>WF23</b>	<b>Y</b>	£812.00	£812.00	£834.00	£915.00		£1009.00
<b>WF24</b>	<b>Y</b>	£834.00	£834.00	£855.00	£937.00	£963.00	£1031.00
<b>WF25</b>	<b>Y</b>	£834.00	£834.00	£855.00	£937.00	£963.00	£1031.00
<b>WF26</b>	<b>N</b>			£880.00	£961.00	£989.00	£1056.00
<b>WF27</b>	<b>Y</b>			£849.00	£931.00	£958.00	£1025.00
<b>WF28</b>	<b>Y</b>	£832.00	£832.00	£853.00			
<b>WF29</b>	<b>Y</b>						
<b>WF30</b>	<b>Y</b>	£834.00	£834.00	£855.00			
<b>WF31</b>	<b>Y</b>	£834.00	£834.00	£855.00			
<b>WF32</b>	<b>Y</b>	£870.00	£870.00	£891.00	£973.00	£1000.00	£1066.00
<b>WF33</b>	<b>Y</b>	£920.00	£920.00	£941.00	£1023.00	£1050.00	£1116.00
<b>WF34</b>	<b>Y</b>	£920.00	£920.00	£941.00	£1023.00	£1050.00	£1116.00
<b>WF35</b>	<b>Y</b>			£891.00	£973.00	£1000.00	£1066.00
<b>WFX</b>	<b>Y</b>	£731.00	£731.00	£752.00	£834.00	£860.00	£928.00
<b>WFY</b>	<b>Y</b>	£679.00	£679.00	£700.00	£782.00	£809.00	£876.00



Falcon1300x700 shower tray with right hand Option WF3 doors illustrated.

LOW LEVEL

**\*\*WF2 & WF3 are not handed unless doors are unequal widths**  
**All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.**

**Ordering is easy.**  
 Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: **FALC900x900WF1LH.**

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with **LUX** for Luxe doors & **LUX-G** for Luxe doors with toughened safety glass.

# KESTREL

Above ground, self supporting shower tray, only 35mm high.

- Low entry point, low level shower tray for easy step-in access, only **35mm** high.
- Requires only the minimum amount of installation and disruption to a property.
- Suitable for wooden or solid floors.
- Can be recessed into the floor if required by 35mm for level access.
- Exceptionally strong, can rest unsupported on top of the existing bathroom floor without being bedded down onto a sand and cement mix.
- Reinforced construction.
- Central waste position to allow trap to avoid floor joists.
- Lifetime guarantee.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates **Biomaster** ANTIBACTERIAL TECHNOLOGY antibacterial protection.



Scan to view  
Kestrel details on your  
phone or tablet.






	Suits wooden floors
	Suits screeded floors
<b>LOW LEVEL</b>	Above ground tray, only 35mm high
	Supplied with STW8B-95 gravity waste
	UPSW-3-22 Pumped waste available



Centralised waste position. For STW8B-95 waste details see page 92.



Low level access, only **35mm** high for easy access.



# KESTREL

This matrix indicates door options that can be used with the Kestrel. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	KESTREL 1190x710
<b>TRAY ONLY</b>	<b>N</b>	<b>£400.00</b>
<b>WF1</b>	<b>Y</b>	£765.00
<b>WF2</b>	<b>Y</b>	
<b>WF3</b>	<b>Y</b>	£772.00
<b>WF4</b>	<b>Y</b>	£796.00
<b>WF5</b>	<b>N</b>	
<b>WF6</b>	<b>Y</b>	£765.00
<b>WF7</b>	<b>Y</b>	£765.00
<b>WF8</b>	<b>Y</b>	£765.00
<b>WF9</b>	<b>Y</b>	£785.00
<b>WF10</b>	<b>Y</b>	£782.00
<b>WF11</b>	<b>Y</b>	£803.00
<b>WF12</b>	<b>Y</b>	£818.00
<b>WF13</b>	<b>Y</b>	£800.00
<b>WF14</b>	<b>Y</b>	
<b>WF15</b>	<b>N</b>	£681.00
<b>WF16</b>	<b>Y</b>	£681.00
<b>WF17</b>	<b>Y</b>	£705.00
<b>WF18</b>	<b>Y</b>	£705.00
<b>WF19</b>	<b>N</b>	£772.00
<b>WF20</b>	<b>Y</b>	£678.00
<b>WF21</b>	<b>Y</b>	£761.00
<b>WF22</b>	<b>Y</b>	£782.00
<b>WF23</b>	<b>Y</b>	£761.00
<b>WF24</b>	<b>Y</b>	£782.00
<b>WF25</b>	<b>Y</b>	
<b>WF26</b>	<b>N</b>	
<b>WF27</b>	<b>Y</b>	
<b>WF28</b>	<b>Y</b>	£780.00
<b>WF29</b>	<b>Y</b>	
<b>WF30</b>	<b>Y</b>	£782.00
<b>WF31</b>	<b>Y</b>	£782.00
<b>WF32</b>	<b>Y</b>	£818.00
<b>WF33</b>	<b>Y</b>	£866.00
<b>WF34</b>	<b>Y</b>	£866.00
<b>WF35</b>	<b>Y</b>	
<b>WFX</b>	<b>Y</b>	£681.00
<b>WFY</b>	<b>Y</b>	£631.00

Doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.

LOW LEVEL

# GANNET

Above ground, top exit, self supporting shower tray for unbreachable floors, only 40mm high.

- Low entry point, low level shower tray for easy step-in access, only **40mm** high.
- Top exit shower tray designed for unbreachable floor installation with a shower waste pump.
- Requires only the minimum amount of installation and disruption to a property.
- Exceptionally strong, can rest unsupported on top of the existing bathroom floor without being bedded down onto a sand and cement mix.
- Top waste cover removable for easy cleaning.
- Reinforced construction.
- 1800x700mm & 1800x800mm shower trays can be cut down to 1500mm to fit exactly into the space left by a bathtub. End plate available to conceal the cut end of the tray when installed between three walls.
- Ramp R01, 800mm, or R02, 1850mm available as an optional accessory to assist wheelchair access, see page 98.
- Lifetime guarantee.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates **Biomaster** ANTIBACTERIAL TECHNOLOGY antibacterial protection.



Scan to view  
Gannet details on your  
phone or tablet.






Top exit cover, removable for easy cleaning.



Connect the 22mm outlet to a shower waste pump. Blank off side not required.




The end plate is used to conceal the shower trays cut end, GANN1800x700 & GANN1800x800.



The trays design allows for various options of how the waste can exit beneath the tray.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.



Reference	Tray Size		Reference	Tray Size	
	A	B		A	B
GANN1200x800	1200	800	GANN1400x800	1400	800
GANN1300x700	1300	700	GANN1500x700	1500	700
GANN1300x800	1300	800	GANN1800x700*	1800	700
GANN1400x700	1400	700	GANN1800x800*	1800	800

Gannet trays are not handed.  
 \*GANN1800x700 & 1800x800 can be cut to length from 1800mm to 1500mm.

Suits	LOW LEVEL	Notes
Suits wooden floors		Above ground tray, only 40mm high
Suits screeded floors		1800x700mm & 1800x800mm: Cut to size bath replacement
Suits unbreachable floors		

## Pump details

Gannet shower trays are designed for use with a shower waste pump to rapidly remove surface water from the tray.



P12 Shower Waste Pump

Recommended shower waste pumps	Max drainage per min (litres)
P12 Pump	12 l/min
Whale Pump	8 l/min

See pages 66 - 69 for more shower waste pump details.

# GANNET

Gannet shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.

LOW LEVEL

## GANNET 1200x800



Gannet 1200x800 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1200x800
---	---------------------------------------

## GANNET 1300x700



Gannet 1300x700 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1300x700
---	---------------------------------------

## GANNET 1300x800



Gannet 1300x800 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1300x800
---	---------------------------------------

## GANNET 1400x700



Gannet 1400x700 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1400x700
---	---------------------------------------

## GANNET 1400x800



Gannet 1400x800 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1400x800
---	---------------------------------------

## GANNET 1500x700



Gannet 1500x700 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1500x700
---	---------------------------------------


## GANNET 1800x700



Gannet 1800x700 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1800x700
---	---------------------------------------

Cut to length minimum: 1500mm

## GANNET 1800x800



Gannet 1800x800 shower tray illustrated above, not handed	<b>Reference Code</b> GANN1800x800
---	---------------------------------------

Cut to length minimum: 1500mm

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# GANNET

This matrix indicates door options that can be used with each Gannet. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	GANNET 1200x800	GANNET 1300x700	GANNET 1300x800	GANNET 1400x700	GANNET 1400x800	GANNET 1500x700	GANNET 1800x700	GANNET 1800x800
<b>TRAY ONLY</b>	<b>N</b>	<b>£454.00</b>	<b>£438.00</b>	<b>£461.00</b>	<b>£462.00</b>	<b>£462.00</b>	<b>£483.00</b>	<b>£593.00</b>	<b>£660.00</b>
<b>WF1</b>	<b>Y</b>	£835.00	£819.00	£841.00	£842.00	£842.00	£862.00		
<b>WF2</b>	<b>Y</b>								
<b>WF3</b>	<b>Y</b>	£841.00	£825.00	£847.00	£848.00	£848.00	£869.00		
<b>WF4</b>	<b>Y</b>	£865.00	£850.00	£872.00	£873.00	£873.00	£894.00		
<b>WF5</b>	<b>N</b>								
<b>WF6</b>	<b>Y</b>	£835.00	£819.00	£841.00	£842.00	£842.00			
<b>WF7</b>	<b>Y</b>	£835.00	£819.00	£841.00	£842.00	£842.00	£862.00		
<b>WF8</b>	<b>Y</b>	£835.00	£819.00	£841.00	£842.00	£842.00	£862.00		
<b>WF9</b>	<b>Y</b>	£855.00	£839.00	£860.00	£861.00	£861.00	£883.00		
<b>WF10</b>	<b>Y</b>	£852.00	£836.00	£858.00	£859.00	£859.00	£880.00		
<b>WF11</b>	<b>Y</b>	£873.00	£857.00	£879.00	£880.00	£880.00	£901.00		
<b>WF12</b>	<b>Y</b>	£888.00	£872.00	£894.00	£895.00	£895.00	£916.00	£1026.00	£1092.00
<b>WF13</b>	<b>Y</b>	£870.00	£854.00	£876.00	£877.00	£877.00	£898.00		
<b>WF14</b>	<b>Y</b>								
<b>WF15</b>	<b>N</b>	£749.00	£733.00	£755.00	£756.00	£756.00	£777.00	£886.00	£953.00
<b>WF16</b>	<b>Y</b>	£749.00	£733.00	£755.00	£756.00	£756.00	£777.00	£886.00	£953.00
<b>WF17</b>	<b>Y</b>	£773.00	£757.00	£779.00	£780.00	£780.00	£801.00	£910.00	£977.00
<b>WF18</b>	<b>Y</b>	£773.00	£757.00	£779.00	£780.00	£780.00	£801.00	£910.00	£977.00
<b>WF19</b>	<b>N</b>	£841.00	£825.00	£847.00	£848.00	£848.00	£869.00	£978.00	£1045.00
<b>WF20</b>	<b>Y</b>	£746.00	£730.00	£752.00					
<b>WF21</b>	<b>Y</b>	£831.00	£814.00	£837.00	£838.00	£838.00	£859.00	£967.00	£1035.00
<b>WF22</b>	<b>Y</b>	£852.00	£836.00	£858.00	£859.00	£859.00	£880.00	£989.00	£1056.00
<b>WF23</b>	<b>Y</b>	£831.00	£814.00	£837.00	£838.00	£838.00	£859.00	£967.00	£1035.00
<b>WF24</b>	<b>Y</b>	£852.00	£836.00	£858.00	£859.00	£859.00	£880.00	£989.00	£1056.00
<b>WF25</b>	<b>Y</b>	£852.00	£836.00	£858.00	£859.00	£859.00	£880.00	£989.00	£1056.00
<b>WF26</b>	<b>N</b>						£905.00	£1014.00	£1081.00
<b>WF27</b>	<b>Y</b>						£874.00	£983.00	£1050.00
<b>WF28</b>	<b>Y</b>	£850.00	£834.00	£856.00	£857.00	£857.00	£878.00		
<b>WF29</b>	<b>Y</b>								
<b>WF30</b>	<b>Y</b>	£852.00	£836.00	£858.00	£859.00	£859.00	£880.00		
<b>WF31</b>	<b>Y</b>	£852.00	£836.00	£858.00	£859.00	£859.00	£880.00		
<b>WF32</b>	<b>Y</b>	£888.00	£872.00	£894.00	£895.00	£895.00	£916.00	£1026.00	£1092.00
<b>WF33</b>	<b>Y</b>		£922.00	£944.00	£945.00	£945.00	£965.00	£1075.00	£1142.00
<b>WF34</b>	<b>Y</b>		£922.00	£944.00	£945.00	£945.00	£965.00	£1075.00	£1142.00
<b>WF35</b>	<b>Y</b>		£872.00	£894.00	£895.00	£895.00	£916.00	£1026.00	£1092.00
<b>WFX</b>	<b>Y</b>	£749.00	£733.00	£755.00	£756.00	£756.00	£777.00	£886.00	£953.00
<b>WFY</b>	<b>Y</b>	£697.00	£681.00	£703.00	£704.00	£704.00	£726.00	£835.00	£901.00

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

LOW LEVEL

**Ordering is easy.**  
Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: GANN1200x800WF1LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# PEACOCK, OWL & LAPWING

Above ground, low level access at only 40mm high for smaller bathrooms.

- Low entry point, low level shower tray for easy step-in access, only **40mm** high.
- This style of shower tray is one of the easiest to install and is ideal for smaller bathrooms.
- Suitable for wooden or solid floor situations.
- Can be recessed into the floor if required by 20mm.
- Chamfered edge to front and one side assists with access.
- Corner waste position.
- Reinforced construction.
- Lifetime guarantee
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates **Biomaster** ANTIBACTERIAL TECHNOLOGY antibacterial protection.




Scan to view shower tray details on your phone or tablet.





Low level access, only **40mm** high.




Tray can be easily recessed into a wooden floor.



Corner waste position.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.



Reference	Tray Size	
	A	B
PEACOCK	800	800
OWL	900	900
LAPWING	1000	1000

Shower trays are not handed.

	Suits wooden floors		Supplied with STW8B-95 gravity waste
	Suits screeded floors		UPSW-3-22 Pumped waste available
<b>LOW LEVEL</b>	Above ground tray, only 40mm high		

## Waste details

- Supplied as standard with a STW8B-95 50mm water seal gravity waste.
- 95mm in depth.
- Flow rate in excess of 26 litres per minute in 15mm head of water.
- UPSW-3-22 available if using in a waste pump situation.




**See pages 92 & 94 for more details.**

# PEACOCK, OWL & LAPWING

Shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.


LOW LEVEL

## PEACOCK




Peacock shower tray illustrated above, not handed	<b>Reference Code</b> PEAC
---	-------------------------------

## OWL



Owl shower tray illustrated above, not handed	<b>Reference Code</b> OWL
---	------------------------------

## LAPWING



Lapwing shower tray illustrated above, not handed	<b>Reference Code</b> LAPW
---	-------------------------------

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

# SHOWER TRAY & DOOR OPTIONS

This matrix indicates door options that can be used with each shower tray.

Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	PEACOCK 800x800	OWL 900x900	LAPWING 1000x1000
<b>TRAY ONLY</b>	<b>Y</b>	<b>£316.00</b>	<b>£380.00</b>	<b>£458.00</b>
WF1	Y	£683.00	£745.00	£822.00
WF2	N	£652.00	£714.00	£791.00
WF3	N	£689.00	£751.00	£828.00
WF4	Y		£776.00	£852.00
WF5	N		£801.00	£877.00
WF6	Y	£683.00	£745.00	£822.00
WF7	Y	£683.00	£745.00	£822.00
WF8	Y	£683.00	£745.00	£822.00
WF9	Y	£703.00	£765.00	£842.00
WF10	Y	£700.00	£762.00	£839.00
WF11	Y	£721.00	£783.00	£859.00
WF12	Y			£875.00
WF13	Y	£718.00	£780.00	£856.00
WF14	Y			
WF15	N			
WF16	Y			
WF17	Y			
WF18	Y			
WF19	N			
WF20	Y			
WF21	Y			
WF22	Y			
WF23	Y			
WF24	Y			
WF25	Y			
WF26	N			
WF27	Y			
WF28	Y			
WF29	Y	£689.00	£751.00	£828.00
WF30	Y	£700.00	£762.00	£839.00
WF31	Y	£700.00	£762.00	£839.00
WF32	Y			
WF33	Y			
WF34	Y			
WF35	Y			
WFX	Y	£599.00	£661.00	£738.00
WFY	Y	£548.00	£610.00	£687.00

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.



Peacock shower tray with Option WF3 doors.



Peacock shower tray with 800mm frameless glass screen. See page 61 for glass screen details.

LOW LEVEL

**Ordering is easy.**  
Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: PEACWF1LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# DOVE & NIGHTINGALE

Above ground, side outlet, just 60mm high, ideal for solid or unbreachable floors.

- Step in shower tray only **60mm** high.
- Requires only the minimum amount of installation, simply bed the tray down onto a wooden or solid floor and connect pipework to the 1½" side outlet.
- Side outlet tray requires no floor excavation as the waste water is removed above ground level.
- Use with a reducer to utilise with existing pipework or if a shower waste pump is required.
- Hair trap reduces the prospect of hair, soap and shower gels causing a blockage in the tray's outlet.
- Suitable for wooden or solid floors.
- Ramp R03 available on request as an optional accessory to assist wheelchair access, see page 98.
- Lifetime guarantee.
- Reinforced GRP construction.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates **Biomaster** Antibacterial Protection antibacterial protection.
- Left or right hand available.
- Dove and Nightingale shower trays now have no tiling lip and can be used for corner access enclosures.




Scan to view shower tray details on your phone or tablet.





	Suits wooden floors
	Suits screeded floors
	Suits unbreachable floors
	Above ground tray, only 60mm high
	Suitable for gravity or pumped waste



**DOVE**

Dove shower tray illustrated above, right hand illustrated	<b>Reference Code</b> DOVELH DOVERH
--	---

**NIGHTINGALE**

Nightingale shower tray illustrated above, right hand illustrated	<b>Reference Code</b> NIGHLH NIGHRH
---	---

# DOVE & NIGHTINGALE

This matrix indicates door options that can be used with each Dove & Nightingale. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	DOVE 1200x700	NIGHTINGALE 1200x800
<b>TRAY ONLY</b>	<b>Y</b>	<b>£514.00</b>	<b>£554.00</b>
<b>WF1</b>	<b>Y</b>	£875.00	£914.00
<b>WF2</b>	<b>Y</b>		
<b>WF3</b>	<b>Y</b>	£881.00	£921.00
<b>WF4</b>	<b>Y</b>	£906.00	£945.00
<b>WF5</b>	<b>N</b>		
<b>WF6</b>	<b>Y</b>	£875.00	£914.00
<b>WF7</b>	<b>Y</b>	£875.00	£914.00
<b>WF8</b>	<b>Y</b>	£875.00	£914.00
<b>WF9</b>	<b>Y</b>	£895.00	£935.00
<b>WF10</b>	<b>Y</b>	£892.00	£932.00
<b>WF11</b>	<b>Y</b>	£912.00	£952.00
<b>WF12</b>	<b>Y</b>	£928.00	£967.00
<b>WF13</b>	<b>Y</b>	£909.00	£949.00
<b>WF14</b>	<b>Y</b>		
<b>WF15</b>	<b>N</b>	£791.00	£831.00
<b>WF16</b>	<b>Y</b>	£791.00	£831.00
<b>WF17</b>	<b>Y</b>	£814.00	£854.00
<b>WF18</b>	<b>Y</b>	£814.00	£854.00
<b>WF19</b>	<b>N</b>	£881.00	£921.00
<b>WF20</b>	<b>Y</b>	£788.00	£828.00
<b>WF21</b>	<b>Y</b>	£872.00	£910.00
<b>WF22</b>	<b>Y</b>	£892.00	£932.00
<b>WF23</b>	<b>Y</b>	£872.00	£910.00
<b>WF24</b>	<b>Y</b>	£892.00	£932.00
<b>WF25</b>	<b>Y</b>	£892.00	£932.00
<b>WF26</b>	<b>N</b>		
<b>WF27</b>	<b>Y</b>		
<b>WF28</b>	<b>Y</b>	£890.00	£930.00
<b>WF29</b>	<b>Y</b>		
<b>WF30</b>	<b>Y</b>		
<b>WF31</b>	<b>Y</b>		
<b>WF32</b>	<b>Y</b>	£928.00	£967.00
<b>WF33</b>	<b>Y</b>	£976.00	£1015.00
<b>WF34</b>	<b>Y</b>	£976.00	£1015.00
<b>WF35</b>	<b>Y</b>		
<b>WFX</b>	<b>Y</b>	£791.00	£831.00
<b>WFY</b>	<b>Y</b>	£741.00	£780.00

All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.

STEP-IN

# PRINIA

Above ground 110mm high shower tray for solid or unbreachable floors.

- Step in shower tray just **110mm** high.
- 90mm diameter gravity waste with 50mm water seal, and a waste flow rate of up to 35 litres per minute.
- Suitable for wooden, solid or unbreachable floor situations.
- Self supporting, does not require bedding down onto a sand and cement mix.
- Waste pipework can be taken out beneath the tray in several positions.
- 1800x700mm & 1800x800mm shower trays can be cut down to 1500mm to fit exactly into the space left by a bathtub.
- 55mm high step available as an optional accessory on request for assisted entry, see page 52.
- Lifetime guarantee.
- Reinforced GRP construction.
- Anti-slip surface for an assured underfoot grip.
- Exclusively incorporates **Biomaster** Antibacterial Protection antibacterial protection.



Scan to view Prinia details on your phone or tablet.






Waste has a removable dip tube for easy cleaning.



Easy step in access, just **110mm** high.



Optional 55mm high step available  
Dimensions: 740W x 440D x 55H.



The trays design allows for various options of how the waste can exit beneath the tray.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.

A



B

Reference	Tray Size		Reference	Tray Size	
	A	B		A	B
PRIN1000x1000	1000	1000	PRIN1400x700	1400	700
PRIN1200x700	1200	700	PRIN1400x800	1400	800
PRIN1200x800	1200	800	PRIN1800x700*	1800	700
PRIN1300x700	1300	700	PRIN1800x800*	1800	800
PRIN1300x800	1300	800			

Prinia trays are not handed  
\*PRIN1800x700 & PRIN1800x800 can be cut to length from 1800mm to 1500mm.

	Suits wooden floors		Supplied with ST90CPB-P-70 gravity waste
	Suits screeded floors		UPSW-4 pumped waste available
	Suits unbreachable floors		1800x700mm & 1800x800: Cut to size bath replacement
	Above ground tray, 110mm high		

## Waste details

- Supplied as standard with a ST90CPB-P-70 50mm water seal, 90mm diameter gravity waste.
- 70mm in depth.
- Flow rate approximately 35 litres per minute.
- UPSW-4 available if using in a waste pump situation.




See pages 92 & 94 for more details.

# PRINIA

Prinia shower tray options illustrated below. Use the shower door selector located on the inside front cover fold-out page to assist with your door selection.


## PRINIA 1000x1000



Prinia 1000x1000 shower tray illustrated above, not handed

Reference Code
PRIN1000x1000


## PRINIA 1200x700



Prinia 1200x700 shower tray illustrated above, not handed

Reference Code
PRIN1200x700


## PRINIA 1200x800



Prinia 1200x800 shower tray illustrated above, not handed

Reference Code
PRIN1200x800


## PRINIA 1300x700



Prinia 1300x700 shower tray illustrated above, not handed

Reference Code
PRIN1300x700


## PRINIA 1300x800



Prinia 1300x800 shower tray illustrated above, not handed

Reference Code
PRIN1300x800

## PRINIA 1400x700



Prinia 1400x700 shower tray illustrated above, not handed

Reference Code
PRIN1400x700


## PRINIA 1400x800



Prinia 1400x800 shower tray illustrated above, not handed

Reference Code
PRIN1400x800

## PRINIA 1800x700



Prinia 1800x700 shower tray illustrated above, not handed

Reference Code
PRIN1800x700

## PRINIA 1800x800



Prinia 1800x800 shower tray illustrated above, not handed

Reference Code
PRIN1800x800

Cut to length minimum: 1500mm

Cut to length minimum: 1500mm

## PRINIA STEP



Prinia 55mm high step illustrated above, not handed

Reference Code
26PRINSTEP

To view door option images see pages 56 - 59 or use the inside front cover fold-out page. Tray & door package prices are opposite.

STEP-IN

# PRINIA

This matrix indicates door options that can be used with each Prinia shower tray. Prices are listed in GBP and exclude VAT.

OPTIONS	HANDED	PRINIA 1000x1000	PRINIA 1200x700	PRINIA 1200x800	PRINIA 1300x700	PRINIA 1300x800	PRINIA 1400x700	PRINIA 1400x800	PRINIA 1800x700	PRINIA 1800x800	PRINIA STEP
<b>TRAY ONLY</b>	<b>N</b>	<b>£510.00</b>	<b>£495.00</b>	<b>£505.00</b>	<b>£503.00</b>	<b>£516.00</b>	<b>£526.00</b>	<b>£551.00</b>	<b>£672.00</b>	<b>£684.00</b>	<b>£179.00</b>
WF1	Y	£890.00	£875.00	£885.00	£883.00	£895.00	£905.00	£931.00			
WF2	N**	£859.00									
WF3	N**	£896.00	£881.00	£891.00	£889.00	£901.00	£911.00	£937.00			
WF4	Y	£922.00	£906.00	£916.00	£914.00	£927.00	£937.00	£961.00			
WF5	N	£947.00									
WF6	Y	£890.00	£875.00	£885.00	£883.00	£895.00	£905.00	£931.00			
WF7	Y	£890.00	£875.00	£885.00	£883.00	£895.00	£905.00	£931.00			
WF8	Y	£890.00	£875.00	£885.00	£883.00	£895.00	£905.00	£931.00			
WF9	Y	£910.00	£895.00	£905.00	£903.00	£915.00	£926.00	£951.00			
WF10	Y	£907.00	£892.00	£902.00	£900.00	£912.00	£923.00	£948.00			
WF11	Y	£929.00	£913.00	£924.00	£922.00	£934.00	£944.00	£968.00			
WF12	Y	£944.00	£929.00	£939.00	£937.00	£949.00	£959.00	£984.00			
WF13	Y	£926.00	£910.00	£921.00	£918.00	£931.00	£941.00	£965.00			
WF14	Y	£746.00									
WF15	N	£804.00	£789.00	£799.00	£797.00	£809.00	£820.00	£845.00	£963.00	£976.00	
WF16	Y	£804.00	£789.00	£799.00	£797.00	£809.00	£820.00	£845.00	£963.00	£976.00	
WF17	Y	£829.00	£813.00	£824.00	£822.00	£834.00	£844.00	£869.00	£988.00	£1000.00	
WF18	Y	£829.00	£813.00	£824.00	£822.00	£834.00	£844.00	£869.00	£988.00	£1000.00	
WF19	N		£881.00	£891.00	£889.00	£901.00	£911.00	£937.00	£1056.00	£1067.00	
WF20	Y	£801.00	£786.00	£796.00	£794.00	£806.00					
WF21	Y	£886.00	£871.00	£881.00	£879.00	£891.00	£901.00	£927.00	£1046.00	£1058.00	
WF22	Y	£907.00	£892.00	£902.00	£900.00	£912.00	£923.00	£948.00	£1066.00	£1079.00	
WF23	Y	£886.00	£871.00	£881.00	£879.00	£891.00	£901.00	£927.00	£1046.00	£1058.00	
WF24	Y	£907.00	£892.00	£902.00	£900.00	£912.00	£923.00	£948.00	£1066.00	£1079.00	
WF25	Y	£907.00	£892.00	£902.00	£900.00	£912.00	£923.00	£948.00	£1066.00	£1079.00	
WF26	N								£1092.00	£1104.00	
WF27	Y								£1061.00	£1073.00	
WF28	Y	£905.00	£890.00	£900.00	£898.00	£910.00	£921.00	£946.00			
WF29	Y	£896.00									
WF30	Y	£907.00	£892.00	£902.00	£900.00	£912.00	£923.00	£948.00			
WF31	Y	£907.00	£892.00	£902.00	£900.00	£912.00	£923.00	£948.00			
WF32	Y		£929.00	£939.00	£937.00	£949.00	£959.00	£984.00	£1103.00	£1115.00	
WF33	Y		£978.00	£988.00	£986.00	£998.00	£1008.00	£1034.00	£1153.00	£1164.00	
WF34	Y		£978.00	£988.00	£986.00	£998.00	£1008.00	£1034.00	£1153.00	£1164.00	
WF35	Y								£1103.00	£1115.00	
WFX	Y	£804.00	£789.00	£799.00	£797.00	£809.00	£820.00	£845.00	£963.00	£976.00	
WFY	Y	£753.00	£738.00	£748.00	£746.00	£758.00	£768.00	£793.00	£912.00	£925.00	

**\*\*WF2 & WF3 are not handed unless doors are unequal widths**

**All shower doors are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain.**

**Ordering is easy.**  
 Take the reference code of the door option and state LH or RH if handed, then add it to the reference code of the shower tray, eg: PRIN1000x1000WF1LH.

**LUXE SILVER SATIN FINISH DOOR PRICES:**

Deduct the shower tray only price from the package price & multiply the remainder by 20% (35% for toughened safety glass). Then add your Luxe door price back to the shower tray only price to get the total package cost.

Suffix your reference code with LUX for Luxe doors & LUX-G for Luxe doors with toughened safety glass.

# SHOWER DOORS

## Made to measure, half height carer door options.

- Easy access shower doors finished in a white powder coating as standard.
- Manufactured and despatched within **24** to **48** hours\*.
- Glazed with either high impact decorative PET, unbreakable polypropylene or toughened glass, see page 3.
- Shower doors can be retro-fitted in a wetroom or onto any shower tray with a 40mm flat perimeter.
- Shower doors have a compensator for adjustment, up to 15mm, to allow for out of square walls.
- Rise and fall hinges for effortless door opening, doors remain open when in the open position.
- Supplied with a curtain rail and 4oz white, satin striped, weighted polyester shower curtain.
- Magnetic door closing. Where practical, handles are supplied for ease of opening.
- Coloured handles, latches and support poles available, at no extra cost, to assist the visually impaired.
- Half height doors manufactured at 750mm, a preferred height for carers. Other heights available on request.
- High integrity door and glazing seals.
- Luxe Range doors are an alternative to the standard white door range. Polished silver satin finish will compliment any modern easy access bathroom.
- We **do not** approve the use of power showers with special needs shower doors or shower trays.
- Reverse hinge options available to enable the doors to fold into the shower area.

\*Does not include deliveries to Ireland or events beyond our control.



Scan to view door details on your phone or tablet.






Flip over latch will prevent door movement should a carer lean against them.



PET environmentally friendly impact resistant glazing.



Rise & fall hinges lift the door for effortless opening, even for those with a weakened grip.



Integrated corner block designed to be trimmed to suit 10mm or 38mm radiused floor coverings.



100mm wide Compensator infill section available to overcome pipework or pipe boxing.

To view door option images see pages 56 - 59 or use the inside front cover fold-out page.



Luxe Range doors will give a modern appearance to an easy access bathroom. Toughened glass available on request.

 Suitable for vinyl anti-slip flooring	 Suitable for use with a shower tray
 Suitable for tiled floors	 Can be made to measure

## Made to measure details

To measure the area for your shower doors to fit, it is important that accurate dimensions are taken from the tile face to tile face or to the proposed closed position of the doors, see diagram below.

## Reverse hinge doors

Reverse hinge options available to enable the doors to fold into the shower area. Suffix your door reference with R when ordering reverse hinged door options, eg: WF1LH-R



**STANDARD OR MADE TO MEASURE DOOR OPTIONS**, all door options are right handed unless stated.

**CORNER ACCESS**

**WF1**



Maximum size:  
A: 1500mm, B: 1000mm  
Bi-folding and single door provide maximum access.  
*Right hand illustrated.*

<b>WF1LH</b>	£389.00
<b>WF1RH</b>	£389.00

**WF2**



Maximum size:  
A: 1200mm  
Bi-parting doors provide maximum access.  
**This option is not handed unless doors are unequal widths.**

<b>WF2</b>	£357.00
------------	---------

**WF3**



Maximum size:  
A: 1500mm  
Twin bi-folding doors provide maximum access in a confined space. *Right hand illustrated. This option is not handed unless doors are unequal widths.*

<b>WF3</b>	£395.00
------------	---------

**WF4**



Maximum size:  
A: 1600mm, B: 1500mm  
Bi-folding and tri-folding door allowing full access in a confined space. *Right hand illustrated.*

<b>WF4LH</b>	£421.00
<b>WF4RH</b>	£421.00

**CORNER ACCESS WITH FIXED PANEL**

**WF6**



Maximum size:  
A: 1500mm, B: 900mm  
Bi-folding door hinging from a fixed panel for corner access. *Right hand corner illustrated.*

<b>WF6LH</b>	£389.00
<b>WF6RH</b>	£389.00

**WF7**



Maximum size:  
A: 1500mm, B: 900mm  
Bi-folding door hinging from the wall for maximum access. *Right hand corner illustrated.*

<b>WF7LH</b>	£389.00
<b>WF7RH</b>	£389.00

**WF8**



Maximum size:  
A: 1500mm, B: 1000mm  
Bi-parting doors hinging from the wall and fixed panel for ease of use. *Right hand illustrated.*

<b>WF8LH</b>	£389.00
<b>WF8RH</b>	£389.00

**WF9**



Maximum size:  
A: 1500mm, B: 1500mm  
Bi-folding door hinging from the wall with single panel for ease of use. *Right hand illustrated.*

<b>WF9LH</b>	£410.00
<b>WF9RH</b>	£410.00

**FRONT ACCESS**

**WF14**



Maximum size:  
A: 1200mm  
Easy to open single door opens outwards allowing full access. *Right hand hinged illustrated.*

<b>WF14LH</b>	£243.00
<b>WF14RH</b>	£243.00

**WF15**



Maximum size:  
A: 1800mm  
Bi-parting doors hinging from the wall for full access in a restricted room. *This option is not handed.*

<b>WF15</b>	£302.00
-------------	---------

**WF16**



Maximum size:  
A: 1500mm  
Bi-folding door hinging from the wall for maximum access in a confined space. *Right hand hinged illustrated.*

<b>WF16LH</b>	£302.00
<b>WF16RH</b>	£302.00

**WF17**



Maximum size:  
A: 2000mm  
Bi-folding and single door allow full access to the showering area. *Right hand hinged illustrated.*

<b>WF17LH</b>	£327.00
<b>WF17RH</b>	£327.00

**WF5**



Maximum size:  
A: 1350mm  
Twin sliding doors hinging from the wall allow maximum access and ease of entry. Will fit an area over 875mm, maximum 1350mm. *This option is not handed.*

**WF5** £446.00 **LUXE NOT AVAILABLE FOR THIS OPTION.**

**WF10**



Maximum size:  
A: 1700mm, B: 1000mm  
Tri-folding door hinging from the wall opens for maximum access to the shower area. *Right hand illustrated.*

**WF10LH** £406.00  
**WF10RH** £406.00

**WF11**



Maximum size:  
A: 1700mm, B: 1000mm  
Bi-parting doors for ease of entry, with a fixed panel and vertical support pole. *Right hand illustrated.*

**WF11LH** £428.00  
**WF11RH** £428.00

**WF12**



Maximum size:  
A: 1800mm, B: 1500mm  
Twin bi-folding doors for ease of use, with a fixed panel and vertical support pole. *Right hand illustrated.*

**WF12LH** £443.00  
**WF12RH** £443.00

**WF13**



Maximum size:  
A: 1700mm, B: 1000mm  
Tri-folding door hinging from the wall allowing full access in a confined room. *Right hand illustrated.*

**WF13LH** £425.00  
**WF13RH** £425.00

**WF18**



Maximum size:  
A: 1700mm  
Tri-folding door can span a wider room opening and provide full access. *Right hand hinged illustrated.*

**WF18LH** £327.00  
**WF18RH** £327.00

**WF19**



Maximum size:  
A: 2000mm  
Twin bi-folding inline doors for maximum access. *Not handed.*

**WF19** £395.00

**WF20**



Maximum size:  
A: 1350mm  
Sliding door can extend across the shower area and opens outwards. Will fit between two walls minimum 875mm and maximum 1350mm. *Right hand illustrated.*

**WF20LH** £299.00  
**WF20RH** £299.00

**LUXE NOT AVAILABLE FOR THIS OPTION.**



Ordering is easy.  
State the door size required. Take the reference code of the door option and state LH or RH if handed, eg: WF1LH.

**LUXE DOOR PRICES:**

Multiply the shower door price by 20% (35% for toughened glass).  
Suffix your reference code with **LUX** for Luxe doors & **LUX-G** for Luxe doors with toughened glass.

All prices exclude VAT which is charged at the current rate.

**STANDARD OR MADE TO MEASURE DOOR OPTIONS**, all door options are right handed unless stated.

**FRONT ACCESS WITH FIXED PANEL**

**WF21**



Maximum size:  
A: 2000mm  
Single door opens outwards allowing full access. Fixed panel where assisted bathing necessary. *Right hand fixed panel illustrated.*

<b>WF21LH</b>	£385.00
<b>WF21RH</b>	£385.00

**WF22**



Maximum size:  
A: 2500mm  
Bi-parting doors hinging from the wall and fixed panel, for easy access. *Right hand fixed panel illustrated.*

<b>WF22LH</b>	£406.00
<b>WF22RH</b>	£406.00

**WF23**



Maximum size:  
A: 2000mm  
Single door hinging from the vertical support pole. *Right hand fixed panel illustrated.*

<b>WF23LH</b>	£385.00
<b>WF23RH</b>	£385.00

**WF24**



Maximum size:  
A: 2500mm  
Bi-folding door hinging from the wall for easy access with a vertical support pole. *Right hand fixed panel illustrated.*

<b>WF24LH</b>	£406.00
<b>WF24RH</b>	£406.00

**FRONT ACCESS WITH RETURN PANEL**

**WF28**



Maximum size:  
A: 1700mm, B: 1000mm  
Single door with fixed front and return panels with a vertical support pole. *Right hand illustrated.*

<b>WF28LH</b>	£404.00
<b>WF28RH</b>	£404.00

**WF29**



Maximum size:  
A: 1200mm, B: 1200mm  
Single door with a return panel where assisted bathing is required. *Right hand illustrated.*

<b>WF29LH</b>	£395.00
<b>WF29RH</b>	£395.00

**WF30**



Maximum size:  
A: 1500mm, B: 1200mm  
Bi-parting doors with a return panel where assisted bathing is required. *Right hand illustrated.*

<b>WF30LH</b>	£406.00
<b>WF30RH</b>	£406.00

**WF31**



Maximum size:  
A: 1500mm, B: 1200mm  
Bi-folding door with a return panel where assisted bathing is required. *Right hand illustrated.*

<b>WF31LH</b>	£406.00
<b>WF31RH</b>	£406.00

**FIXED PANEL**

**WFX**



Maximum size:  
A: 1000mm  
Full height fixed panel with a vertical support pole. *Right hand illustrated.*

<b>WFXLH</b>	£302.00
<b>WFXRH</b>	£302.00

**WFY**



Maximum size:  
A: 1000mm  
Half height fixed panel with a vertical support pole. *Right hand illustrated.*

<b>WFYLH</b>	£250.00
<b>WFYRH</b>	£250.00

SHOWER DOORS

**WF25**



Maximum size:  
A: 2000mm  
Bi-folding door hinging from the vertical support pole.  
*Right hand illustrated.*

<b>WF25LH</b>	£406.00
<b>WF25RH</b>	£406.00

**WF26**



Maximum size:  
A: 2500mm  
Two fixed panels with centralised bi-parting doors and vertical support poles.  
*This option is not handed.*

<b>WF26</b>	£432.00
-------------	---------

**WF27**



Maximum size:  
A: 1850mm  
**LUXE NOT AVAILABLE FOR THIS OPTION.**  
Sliding door extends across the shower area to meet a 500mm fixed panel. Fits between two walls minimum 1375mm. *Right hand illustrated.*

<b>WF27LH</b>	£400.00
<b>WF27RH</b>	£400.00

**WF35**



Maximum size:  
A: 2500mm  
Twin bi-folding inline doors hinging from the wall and fixed panel, for easy access.  
*Right hand illustrated.*

<b>WF35LH</b>	£443.00
<b>WF35RH</b>	£443.00

**WF32**



Maximum size:  
A: 2000mm, B: 1200mm  
Twin bi-folding doors open to allow full access, with a return panel where assisted bathing is necessary. *Right hand illustrated.*

<b>WF32LH</b>	£443.00
<b>WF32RH</b>	£443.00

**WF33**



Maximum size:  
A: 1800mm, B: 1200mm  
Bi-folding door hinging from the fixed panel, with two vertical support poles.  
*Right hand illustrated.*

<b>WF33LH</b>	£493.00
<b>WF33RH</b>	£493.00

**WF34**



Maximum size:  
A: 1800mm, B: 1200mm  
Bi-parting doors hinging from the fixed and return panel, with two vertical support poles.  
*Right hand illustrated.*

<b>WF34LH</b>	£493.00
<b>WF34RH</b>	£493.00



Ordering is easy.  
State the door size required. Take the reference code of the door option and state LH or RH if handed, eg: WF1LH.

**LUXE DOOR PRICES:**

Multiply the shower door price by 20% (35% for toughened glass).  
Suffix your reference code with **LUX** for Luxe doors & **LUX-G** for Luxe doors with toughened glass.

All prices exclude VAT which is charged at the current rate.

# CARERSSCREENS®

## Portable and convenient.

- A convenient option to a fixed shower enclosure.
- Easily portable, can be moved effortlessly from room to room.
- Assists in keeping the carer dry during bathing.
- Low screen height of 750mm (29½”), which is a preferred height for carers. Other screen heights available on request.
- Can be used in conjunction with a shower tray or alternatively, a tiled or wet floor area.
- Fold flat for compact storage.
- By removing the Carerscreen® when it is not in use, the shower area is then clear for other members of the household.
- Available in four standard sizes, can be made to measure.
- Lifetime guarantee.
- Not handed.

Reference	Height	No. of Panels	Weight	Panel Width		Price
				A	B	
CS1	750mm	2	7kg	650mm	-	£179.00
CS2	900mm	2	9kg	750mm	-	£192.00
CS3	750mm	2	9kg	1000mm	-	£206.00
CS4	750mm	4	9kg	450mm	225	£222.00



Scan to view details on your phone or tablet.



CS1  
Ideal for rooms with restricted space. *Not handed.*



CS2  
Taller screen height for modesty purposes & to keep the carer drier. *Not handed.*



CS3  
Wider screens are ideal for use with a mobile shower chair. *Not handed.*



CS4  
By incorporating more panels the screen can be closer to the user. *Not handed.*



# GLASS SCREENS


## Open up the shower space.

- For a modern and minimalist walk-in shower experience.
- 6mm clear toughened safety glass, EN 14428 tested, 1950mm high (plus wall support, see below).
- The wall support can be cut to length (700mm-1500mm).
- Silver aluminium frame with 30mm adjustment for out of true walls.
- 45° wall bracket available if you wish to add a return panel.
- Available in 700mm, 800mm, 900mm, 1000mm, 1100mm and 1200mm widths.
- Leading edge is finished in glass.
- Installs directly onto all Contour shower trays which have a flat top perimeter, and on tiled wetfloor areas.
- Bolster section available for use on covered vinyl safety flooring.
- Chrome bottom fixing support foot & bottom seal included but fitting optional.
- Not handed.

Size	Adjustment	Reference	Price
700mm	700-730mm	GS1-700	£295.00
800mm	800-830mm	GS1-800	£295.00
900mm	900-930mm	GS1-900	£319.00
1000mm	1000-1030mm	GS1-1000	£346.00
1100mm	1100-1130mm	GS1-1100	£346.00
1200mm	1200-1230mm	GS1-1200	£346.00
45° Wall Bracket		GSB-45	£17.00
Bolster Section, left hand		GS1-CLH	£46.00
Bolster Section, right hand		GS1-CRH	£46.00



Scan to view screen details on your phone or tablet.



Top fixing.



Bolster section.



All prices exclude VAT which is charged at the current rate.

# CUBICLES

Self contained, freestanding shower areas, easily installed into almost any room.

- Quick and easy to install and remove without the need for expensive property alterations, (Installation usually within 2 hours).
- A cost effective, short term or semi permanent alternative to a traditional adaptation.
- Provides an ensuite facility practically anywhere in the home suitable for use by all the family.
- No additional tiling required.
- Unique shower tray system assists with cubicle assembly and helps to prevent the likelihood of leaks.
- Easy to get in to, choose from **level access**, 40mm high or up to **110mm** high to suit unbreachable floors.
- Optional ramps or step makes access even easier for wheelchair or ambulant users.
- Anti-slip surface for assured underfoot grip.
- Roof available, to which an optional light and fan can be installed.
- Half height doors for when assisted bathing is required.
- Glazed in durable, smooth Polypropylene and PET which are safe and easy to clean.
- Shower tray incorporates **Biomaster** antibacterial protection which actively inhibits the growth of harmful and odour causing bacteria, see inside cover.
- The addition of grabrails, shower seat, WC or a wash hand basin will provide a functional solution for individual requirements.

## NOW AVAILABLE FOR USE WITH:

- Tern rotating, level access shower trays, see page 12 for more details.
- Falcon 1000x1000mm low level shower tray, see page 32 for more details.



Scan to view cubicle details on your phone or tablet.



An optional roof helps to retain steam. Also provides a fixing point for a light or fan.



Adding a shower seat will provide the user with additional comfort.



WC cubicles use a wall hung pan which allows cleaning underneath and around the WC.

To view freestanding cubicle options see pages 64 - 65.




A WC and washbasin can be added to provide a complete ensuite solution for individual needs.

	Suits wooden floors		Suits above ground trays
	Suits screeded floors		Suitable for gravity or pumped wastes
	Suits unbreachable floors		

## WC Details

- Adjustable low WC frame allows the WC pan to be hung at a specific height to suit the user, from 350mm to 510mm.
- Robust, takes 400kg.
- Cistern also incorporates a chrome dual flush button.
- WC Cupboard width: 350mm.
- Adjustable low WC frame: 450H x 345W x 160D-325D.
- Toilet seat supplied separately.



- An optional macerator can be supplied which allows you to fit a WC almost anywhere.
- Horizontal discharge: 100m.
- Vertical discharge: 4m.
- Dimensions: 330H x 163W x 263D.



# CUBICLES

Cubicle and Cubicle with WC options illustrated below.

## CUBICLE 1



Full cubicle with bi-folding and single door. *Left hand illustrated.*

Reference  
**CUBI1LH**  
**CUBI1RH**

## CUBICLE 2



Full cubicle with a WC and bi-folding and single door. *Left hand illustrated.*

Reference  
**CUBI2LH**  
**CUBI2RH**

## CUBICLE 3



Full cubicle with twin bi-folding doors. *This option is not handed.*

Reference  
**CUBI3**

## CUBICLE 4



Full cubicle with WC and twin bi-folding doors. *Left hand illustrated.*

Reference  
**CUBI4LH**  
**CUBI4RH**

## CUBICLE 5



Half cubicle with corner twin bi-folding doors. *Left hand illustrated.*

Reference  
**CUBI5LH**  
**CUBI5RH**

## CUBICLE 6



Half cubicle with WC and corner twin bi-folding doors. *Left hand illustrated.*

Reference  
**CUBI6LH**  
**CUBI6RH**

## CUBICLE 7



Half cubicle with full height fixed panels and single door. *Left hand illustrated.*

This style of cubicle is compatible with almost every style of shower tray in our range. (Except Swift & Tern1225C tray Range).

Reference  
**CUBI7LH**  
**CUBI7RH**

Cubicles are supplied with a curtain rail and 4oz, weighted, satin striped shower curtain, (Not CUBICLE 7).

# SHOWER TRAY & CUBICLE OPTIONS

This matrix indicates cubicles that can be used with each shower tray.

Prices are listed in GBP and exclude VAT, which is charged at the current rate.

COMPATIBLE SHOWER TRAYS	SIZE	HANDED	TRAY HEIGHT	CUBICLE 1	CUBICLE 2	CUBICLE 3	CUBICLE 4	CUBICLE 5	CUBICLE 6	CUBICLE 7
<b>CUBICLE ONLY</b>	-	See opposite	-	<b>£689.00</b>	<b>£1530.00</b>	<b>£689.00</b>	<b>£1530.00</b>	<b>£689.00</b>	<b>£1530.00</b>	<b>£495.00</b>

LEVEL ACCESS TRAYS										
<b>HARRIER</b>	1050x750mm	<b>Y</b>	-							£883.00
<b>SKYLARK</b>	1250x700mm	<b>Y</b>	-							£888.00
<b>TERN (FLAT TOP)</b>	1200x1200mm	<b>N</b>	-	£2189.00	£3030.00	£2189.00	£3030.00			£1995.00
<b>TERN (COVERED)</b>	1225x1225mm	<b>N</b>	-	£2189.00	£3030.00	£2189.00	£3030.00			
<b>OSPREY</b>	1250x800mm	<b>Y</b>	-							£899.00
<b>MERLIN</b>	1250x800mm	<b>Y</b>	-							£899.00

LOW LEVEL TRAYS										
<b>FALCON</b>	1000x700mm	<b>N</b>	40mm							£876.00
<b>FALCON</b>	1000x1000mm	<b>N</b>	40mm	£1123.00	£1964.00			£1123.00	£1964.00	£929.00
<b>FALCON</b>	1100x800mm	<b>N</b>	40mm	£1101.00	£1943.00	£1101.00	£1943.00			£907.00
<b>KESTREL</b>	1190x710mm	<b>N</b>	35mm	£1089.00	£1930.00	£1089.00	£1930.00	£1089.00	£1930.00	£895.00
<b>FALCON</b>	1200x800mm	<b>N</b>	40mm	£1117.00	£1959.00	£1117.00	£1959.00	£1117.00	£1959.00	£924.00
<b>GANNET</b>	1200x800mm	<b>N</b>	40mm	£1143.00	£1984.00	£1143.00	£1984.00	£1143.00	£1984.00	£949.00
<b>FALCON</b>	1300x700mm	<b>N</b>	40mm	£1101.00	£1943.00	£1101.00	£1943.00	£1101.00	£1943.00	£907.00
<b>GANNET</b>	1300x700mm	<b>N</b>	40mm	£1127.00	£1968.00	£1127.00	£1968.00	£1127.00	£1968.00	£933.00
<b>FALCON</b>	1300x800mm	<b>N</b>	40mm	£1124.00	£1965.00	£1124.00	£1965.00	£1124.00	£1965.00	£930.00
<b>GANNET</b>	1300x800mm	<b>N</b>	40mm	£1149.00	£1991.00	£1149.00	£1991.00	£1149.00	£1991.00	£955.00
<b>FALCON</b>	1400x700mm	<b>N</b>	40mm	£1125.00	£1966.00	£1125.00	£1966.00	£1125.00	£1966.00	£931.00
<b>GANNET</b>	1400x700mm	<b>N</b>	40mm	£1150.00	£1992.00	£1150.00	£1992.00	£1150.00	£1992.00	£956.00
<b>FALCON</b>	1400x800mm	<b>N</b>	40mm	£1125.00	£1966.00	£1125.00	£1966.00	£1125.00	£1966.00	£931.00
<b>GANNET</b>	1400x800mm	<b>N</b>	40mm	£1150.00	£1992.00	£1150.00	£1992.00	£1150.00	£1992.00	£956.00
<b>FALCON</b>	1500x700mm	<b>N</b>	40mm	£1146.00	£1987.00	£1146.00	£1987.00	£1146.00	£1987.00	£952.00
<b>GANNET</b>	1500x700mm	<b>N</b>	40mm	£1171.00	£2013.00	£1171.00	£2013.00	£1171.00	£2013.00	£978.00

STEP-IN TRAYS										
<b>DOVE</b>	1200x700mm	<b>Y</b>	60mm	£1202.00	£2044.00	£1202.00	£2044.00	£1202.00	£2044.00	£1008.00
<b>PRINIA</b>	1200x700mm	<b>N</b>	110mm	£1184.00	£2025.00	£1184.00	£2025.00	£1184.00	£2025.00	£990.00
<b>NIGHTINGALE</b>	1200x800mm	<b>Y</b>	60mm	£1243.00	£2084.00	£1243.00	£2084.00	£1243.00	£2084.00	£1049.00
<b>PRINIA</b>	1200x800mm	<b>N</b>	110mm	£1194.00	£2035.00	£1194.00	£2035.00	£1194.00	£2035.00	£1000.00
<b>PRINIA</b>	1300x700mm	<b>N</b>	110mm	£1192.00	£2033.00	£1192.00	£2033.00	£1192.00	£2033.00	£998.00
<b>PRINIA</b>	1300x800mm	<b>N</b>	110mm	£1204.00	£2046.00	£1204.00	£2046.00	£1204.00	£2046.00	£1010.00
<b>PRINIA</b>	1400x700mm	<b>N</b>	110mm	£1214.00	£2056.00	£1214.00	£2056.00	£1214.00	£2056.00	£1020.00
<b>PRINIA</b>	1400x800mm	<b>N</b>	110mm	£1240.00	£2081.00	£1240.00	£2081.00	£1240.00	£2081.00	£1046.00

ACCESSORIES	REF	PRICE	ACCESSORIES	REF	PRICE
<b>ROOF</b>	ROOF	£93.00	<b>TOILET SEAT</b>	04WCS01	£29.00
<b>ROOF FOR WC CUBICLE</b>	ROOFWC	£113.00	<b>SANIPRO MACERATOR</b>	04MSP	£449.00
<b>SHOWER LIGHT WITH FAN</b>	15SL01	£109.00	<b>WASH HAND BASIN</b>	04WB02	£97.00
			<b>LEVER TAPS</b>	04LT	£62.00

**Ordering is easy.**  
Take the reference code of the cubicle option & add it to the reference code of the shower tray, for example: **FALC1100x800CUBI1LH.**

If necessary refer back to the relevant shower tray page to identify the shower tray reference number.

All prices exclude VAT which is charged at the current rate.

# CONTOUR P12 PUMP

The quiet, unblockable, maintenance free shower waste pump when gravity drainage is unavailable.

## FEATURES


- Peristaltic pump design.
- Safe 24v DC low energy motor.
- **NEW** wall plate with quick release pump bracket.
- Complete with universal fittings and 22mm push fit connectors.
- Self priming up to 500mm.
- Pumps up to 12 litres per minute.
- **NEW** variable speed transformer.
- Not handed.

## BENEFITS

- Pumped water travels through a sealed tube reducing the risk of blockage.
- Near silent operation.
- **MAINTENANCE FREE** design comes with a **5 YEAR WARRANTY**.
- Low running costs due to the 24v DC efficient low energy motor.
- **NEW** wall plate with quick release pump bracket minimises installation time.
- Can be retrofitted and is compatible with all manufacturers wastes.
- Not handed for easy and quick installation.
- Suitable for electric and mixer showers. (**Additional flow switch required for mixer shower installations**).
- Link directly to a Redring Selectronic Premier WP or Mira Advance ATL Flex Extra, eliminating the need for a flow switch, see 'Link' options opposite.



Scan to view  
P12 details on your  
phone or tablet.



To achieve **optimum** pump performance of 12 litres per minute we recommend the pump be installed no higher than **350mm** from the top of the shower waste outlet to the underside of the wall plate.

The pump can be installed up to a maximum height of **500mm** to the underside of the wall plate, but this **will** reduce the pumps overall performance.



### Pump Housing Dimensions

A = 190mm  
B = 210mm  
C = 330mm

### Pump Only Dimensions

(Housing not fitted)  
A = 180mm  
B = 205mm  
C = 270mm

The housing slots onto the wall plate. Manufactured from ABS. The flow switch & control box covers are now optional accessories, see opposite.




TYPICAL ELECTRIC SHOWER INSTALLATION



1. Flowswitch within the cold water supply
2. Electric shower
3. Gully
4. 22mm pipework to pump inlet
5. 22mm pipework to outlet
6. Contour P12 pump & housing
7. To mains supply 230V
8. Control box

Manufactured from parts that are 100% recyclable

TYPICAL MIXER SHOWER INSTALLATION



1. 2 Flowswitches fitted in the water supply, one in the cold & one in the hot supply.
2. Mixer shower
3. Waste
4. 22mm pipework to pump inlet
5. 22mm pipework to outlet
6. Contour P12 pump & housing
7. To mains supply 230V
8. Control box

**PLEASE NOTE:**  
An additional flow switch is required for mixer shower installations.

SHOWER PUMPS

'Standard' kits include 1 x flowswitch and are meant for typical electric shower installations. 'Link' kits have no flowswitch and are meant to be wired directly to a suitable electric shower. For more information on wastes and gully's see pages 94 - 95.



FOR TOP ACCESS SHOWER TRAYS: PUMP ONLY



FOR SHOWER TRAYS: KIT A



FOR FLOOR FORMERS: KIT B



FOR SHOWER TRAYS WITH A 90mm DIA WASTE: KIT D

For use with our Gannet range of top access shower trays.	For use with a level access or above ground shower tray.	For use with a wetroom floor former.	For use with an Eagle TWO level access tray or Prinia step in shower tray.
	UPSW-3 is only 30mm in depth & has a 22mm outlet.	Trap is 45mm in depth & has a 22mm outlet.	UPSW-4 is only 32mm in depth & has a 22mm outlet.
	Chrome top flange.	Manufactured in white ABS.	Chrome top flange.
	Easy to clean.	Will withstand wheelchair loadings.	Easy to clean.
	<b>If using an Eagle TWO or Prinia use KIT D.</b>	Stainless steel options available on request, see page 95.	

Description	Reference	Price									
Pump Only	05PP01	£471.00	Standard Kit A	05PP01A	£481.00	Standard Kit B	05PP01B	£491.00	Standard Kit D	05PP01D	£492.00
Link Pump Only	05PP01-L	£463.00	Link Kit A	05PP01A-L	£473.00	Link Kit B	05PP01B-L	£483.00	Link Kit D	05PP01D-L	£484.00

Additional flowswitch for use with a mixer shower.



Optional Control Box cover or Flow Switch cover available on request.



Description	Reference	Price
Additional Flowswitch	05PP11	£26.00
Control Box Cover	05PP16	£8.00
Flow Switch Cover	05PP17	£5.50

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

email us: [sales@contour-showers.co.uk](mailto:sales@contour-showers.co.uk) | website: [www.contour-showers.co.uk](http://www.contour-showers.co.uk)

# WHALE PUMP

## Where gravity drainage is not an option...

- Removes waste water from the shower area when gravity drainage is not available.
- Reliable performance: hair, gels and other shower waste pass through the pump without blocking.
- Maintenance free: No pump filter is required therefore no internal cleaning is necessary.
- Practical design: valves integral to the pump prevent odours escaping into the bathroom from the waste pipe.
- Quiet performance.
- All kits now include Active Link diagnostics.
- Pump and transformers are IP45 rated against moisture and particle ingress.
- CE Marked and comply with European standards for: EMC, Low Voltage Approvals.
- Easy to install. Dedicated Technical Helpline available: **0845 0694 253**

Transformer includes patented **Active Link** diagnostics.

- Aids installation and maintenance.
- Light indicates power present when test button is pressed.
- Light indicates shower operation.

### FLOW CONNECT, Flow Switch Control



### INSTANT MATCH®, Digital wireless connection



**STANDARD - FLOW CONNECT KITS**

The original automatic shower drain kit with proven reliability is now combined with 12 speed pump settings, Active Link diagnostics and Whale® Whisper gully options.

- 12 pump speed settings designed to suit Electric and Mixer Shower installations.
- Adjustable pump speed minimises gully suction noise.
- Wet floor kit includes Whale Whisper gully
- High performance. Draws 3 metres from gully.

**NOTE: For mixer shower installations an additional flow switch is required. Part No: 05WP10-03.**



Description	Reference	Price
Automatic Tray Kit	05WP10	£353.00



Description	Reference	Price
Automatic Wetfloor Kit	05WP10-11	£396.00

**INSTANT MATCH®**

To minimise gully suction noise the Instant Match® uses a digital signal sent from the shower to automatically adjust the pump speed in relation to the flow rate of the shower. No set-up necessary - plug and play operation.

- No physical link required between the Instant Match® and shower. (Maximum 5 metre range for wireless signal).
- Easy installation and simple pairing of pump with shower.
- Wireless control.
- Shower automatically turns off in the event of power failure to the pump.
- Compatible with:  
Mira Advance Flex Extra & Flex Extra Wireless, page 74.

**Note, for installation with any electric shower a Venturi Flow Sensor can be fitted inline, Part No: 05WP10-53.**



Description	Reference	Price
Instant Match Kit	05WP10-06	£411.00



Description	Reference	Price
Venturi Flow Switch	05WP10-53	£70.00

**ACCESSORIES & SPARES**



Standard Flowswitch    Mixer Valve Flowswitch    Diaphragm Kit

Description	Reference	Price
Standard Flowswitch	05WP10-04	£35.00
Mixer Valve Flowswitch	05WP10-03	£45.00
Diaphragm Kit	05WP10-50	£22.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

## SAVE WATER & ENERGY WITH AN ECO-SAVE MIXER SHOWER.

The only thermostatic & pressure balancing mixer shower, designed to be the safest, anti-scald value for money mixer shower available.

- NHS, DO8 and TMV3 approved.
- Achieve **water and energy savings** by up to 70%.
- Anti scald cut off within 0.2 seconds.
- Manufactured with no built in obsolescence, parts available for 25 years.
- Anti-tamper temperature control set at 38°C. Water temperature at discharge point is no more than 41°C.
- Ergonomically shaped controls for ease of use.
- Water saving shower head, supplies a maximum of 8 litres per minute @ 6 bar with a 1150mm riser rail and 1500mm hose for assisted bathing.
- 98% recyclable, 100% of production waste is recycled.
- Intended for use on water systems 1.0 bar and above.
- Salamander CT50 1.5 bar pump available for areas restrained by low water pressure, *ask for details.*
- Anti-legionella option ideal for low use areas. Standard shower heads and hoses normally retain water, which if left for a period of time provides growth conditions for the development of legionella, *see opposite.*


### Enhanced Capital Allowance (ECA) scheme 100% tax relief for Contour Eco-save. What is the ECA Scheme?

As part of the governments commitment to the Kyoto Agreement (World Wide Reduction of Carbon Emissions), the then Chancellor of the Exchequer, Gordon Brown, in his 2001 Budget Report, announced support for business investment in environmentally friendly technologies.

This allowed for the introduction of a 100% First Year Enhanced Capital Allowance Scheme on water saving and water improving technologies that meet stringent criteria regarding water conservation. *For more details please ask.*



Scan to view Eco-save details on your phone or tablet.





ECO-SAVE MIXER

**ECO-SAVE MIXER SHOWER**

- NHS, DO8 and TMV3 approved mixer shower
- Achieve water and energy savings by up to 70%.
- Anti-tamper temperature control set at 38°C.
- Exposed pipework option available.
- Combined riser / grabrail option available.

**ECO-SAVE ANTILEGIONELLA MIXER SHOWER**

- Anti-legionella hose kit for low use areas.
- Specially designed hose, which has no dead leg loop.
- Integrated dump valve dispels all water as the shower is switched off.
- Flexi coil shower hose is coloured black to ensure reduced levels of luminosity, helping to reduce the growth of bacteria.

Description	Contour Part Number	Minimum Pressure	Maximum Pressure	Output Temp Differential	Maximum Output	Price
Eco-save Mixer Shower	06MS01	0.2 Bar	12 Bar	+/- 1°C	8 l/pm @ 6 Bar	£408.00
Eco-save Mixer Shower Exposed Kit	06MS01E	0.2 Bar	12 Bar	+/- 1°C	8 l/pm @ 6 Bar	£451.00
Eco-save Mixer Shower & Pump	06MS03	0.2 Bar	12 Bar	+/- 1°C	8 l/pm @ 6 Bar	£974.00
Eco-save Mixer Shower - Anti-legionella	06MS02	0.2 Bar	12 Bar	+/- 1°C	8 l/pm @ 6 Bar	£621.00
Eco-save Mixer Shower - Anti-legionella & Pump	06MS04	0.2 Bar	12 Bar	+/- 1°C	8 l/pm @ 6 Bar	£1033.00
Combined Riser / Grabrail	06MS01-GR	-	-	-	-	£180.00

All prices exclude VAT which is charged at the current rate.

## PERFORMANCE, SAFETY & RELIABILITY. IT'S EASY TO INSTALL TOO!

- Fully thermostatic - maintains temperature within +/- 1°C.
- Unique microprocessor control technology.
- Pre-programmed to provide automatically hot water at a constant and safe temperature.
- Temperature 'Lock Mode', with three optional settings eliminating any increase by accident.\*
- Audible feedback response to push-button commands.
- Large one touch, easy to press Start/Stop button.
- Clear print control identification for ease of visibility.
- Large LED temperature read-out display.
- Premier Standard: 0.5m riser rail & 1.25m hose  
Premier Plus & Remote: 1m riser rail & 2m hose.
- **Eco Water Save** feature automatically calculates and adjusts the optimum flow rate.\*
- **Eco Water Save** meets the 'Sustainable Home' water consumption requirements per person for showering.
- **Eco Power Save** automatically adjusts the power of the shower to achieve the selected water temperature.\*
- Safety temperature lock with override function.
- Phased shutdown.
- Automatic shutdown after 30 minutes of inactivity.
- 8.5, 9.5 and 10.8kW models available.
- WP model links directly to a shower waste pump.
- User friendly wireless remote option available where assisted bathing is required.
- For more information, please ask for a copy of our Redring Selectronic range brochure or download it from our website.

**Extended 5 YEAR GUARANTEE only available from Contour Shower.**



\*Selected on installation.



#### ENDORSEMENTS:



Scan to view Redring details on your phone or tablet.



**SELECTRONIC PREMIER STANDARD & PREMIER PLUS**

- Thermostatically operated.
- Colour coded shower head and clamp for visibility.
- Premier Standard: 0.5m riser rail.
- Premier Plus & Remote: 1m riser rail & 2m hose.
- Requires Venturi Flowswitch for use with a P12 pump or standard Whale kit.



**SELECTRONIC PREMIER PLUS REMOTE**

- With the addition of a remote wireless ON/OFF control.



**SELECTRONIC PREMIER PLUS WP**

- With an interface for linking directly to a shower waste pump.
- Does not require a flowswitch.

\* PLEASE NOTE:  
Not compatible with the Whale Instant Match Kit.

Description	Redring Short Code	Contour Part Number	Max Heat Setting	kW Loading @ 230-240V	Cable size (Recommended)	Fuse Rating (Recommended)	Price
Selectronic Premier Standard 8.5	SELP85CS	06ES30-85	8.5kW	7.8-8.5	6-10mm <sup>2</sup>	35 amps	£340.00
Selectronic Premier Standard 9.5	SELP95CS	06ES31-95	9.5kW	8.7-9.5	6-10mm <sup>2</sup>	40 amps	£362.00
Selectronic Premier Plus 8.5	SELP85P5CS	06ES32-85	8.5kW	7.8-8.5	6-10mm <sup>2</sup>	35 amps	£352.00
Selectronic Premier Plus 9.5	SELP95P5CS	06ES33-95	9.5kW	8.7-9.5	6-10mm <sup>2</sup>	40 amps	£374.00
Selectronic Premier Plus 10.8	SELP108P5CS	06ES34-108	10.8kW	9.9-10.8	10-16mm <sup>2</sup>	45 amps	£383.00
Selectronic Premier Remote 8.5	SELP85PR5CS	06ES35-85RC	8.5kW	7.8-8.5	6-10mm <sup>2</sup>	35 amps	£373.00
Selectronic Premier Remote 9.5	SELP95PR5CS	06ES36-95RC	9.5kW	8.7-9.5	6-10mm <sup>2</sup>	40 amps	£383.00
Selectronic Premier Remote 10.8	SELP108PR5CS	06ES37-108RC	10.8kW	9.9-10.8	10-16mm <sup>2</sup>	45 amps	£394.00
Selectronic Premier Plus WP 8.5	SELP85WP5CS	06ES38-85WP	8.5kW	7.8-8.5	6-10mm <sup>2</sup>	35 amps	£383.00
Selectronic Premier Plus WP 9.5	SELP95WP5CS	06ES39-95WP	9.5kW	8.7-9.5	6-10mm <sup>2</sup>	40 amps	£397.00
Venturi Flowswitch		05WP10-53					£70.00

- Operating water pressure 0.7-10 bar (10-145 psi).
- Fixing pack supplied.
- Cable entries - top, bottom & rear (up to 16mm<sup>2</sup>)

- Fully temperature stabilised.
- Pipe entries - top, bottom & back (on right hand side).
- Water connection - 15mm compression fitting, including nut and olive supplied.

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

## MIRA ADVANCE ELECTRIC SHOWERS

- Safe, precise & thermostatically controlled.
- Separate flow & temperature control.
- Large, contrasting, rotary lever & push buttons.
- 2m hose, 1m riser rail.
- Large, back-lit on/off button, leaves temperature at preferred setting.
- Phased shutdown for safer showering.
- Best in its class for reducing limescale build-up.
- Inlet connections - 15mm compression, Outlet connection 1/2" BSP male.
- Supply rating - 40 amp.

### MIRA ADVANCE ATL 9.0kW OPTIONS

- Supply - Mains pressure cold water.
- Minimum maintained pressure 1.0 bar, Maximum maintained pressure 10.0 bar.
- Maximum static pressure 10.0 bar.
- **Flex Extra** model links directly with a Contour P12 shower waste pump or Whale Instant Match™, eliminating the need for a flowswitch.
- **Flex Extra Wireless** model requires no physical link between the shower and Whale Instant Match pump.



Description	Reference	Price
Advance ATL Flex 9.0kW	06ES01	£368.00
Advance ATL Flex Extra 9.0kW	06ES03	£408.00
Advance ATL Flex Extra Wireless 9.0kW	06ES05-90	£440.00

### MIRA ADVANCE ATL FLEX LOW PRESSURE 9.0kW

- With an integrated pump for low pressure areas.
- Provides a strong and consistent flow at low pressure (minimum 80mm head pressure).
- Compatible with cold water systems only.
- Minimum maintained pressure 0.008 bar (80mm), Maximum maintained pressure 1.0 bar (10m head).
- Maximum static pressure 1.0 bar (10m head).



Description	Reference	Price
Advance ATL Flex Low Pressure 9.0kW	06ES01-LP	£454.00

## MIRA SELECT FLEX MIXER SHOWER

- Thermostatic control plus TMV2 & TMV3 approval for safe showering.
- Separate flow & temperature controls with extended lever controls.
- Maximum temperature stop.
- Cool Touch technology reduces the surface temperature when in use.
- 2m hose and 1m easy glide riser rail.
- Variable pipe inlet centres for easy installation, can be corner mounted.
- Inlet connections - 15mm compression, Outlet connection - 1/2" BSP flat face.
- Maximum static pressure 10.0 bar.
- Maximum maintained pressure 5.0 bar.
- Factory preset temperature at 41°C.
- Thermostatic shutdown within 2 seconds.
- Minimum maintained pressure (gravity system) 0.1 bar.



Description	Reference	Price
Select Flex	06MS10	£357.00

**PLEASE NOTE:**  
 Plumbing system compatibility:  
 - Fully modulating combi boilers & instantaneous gas water heaters  
 - Gravity-fed hot & cold water supply  
 - Gravity-fed hot & cold pumped water supply  
 - Mains pressure hot & cold - unvented  
 - Mains pressure thermal store

MIRA SHOWERS

## TRITON SAFEGUARD+ ELECTRIC SHOWERS

The NEW Safeguard+ thermostatic electric shower with Safe-Set™ technology.

- Tamperproof internal settings of the maximum water temperature and desired duration of the shower.
- Easy to install - removable top & bottom entry trims.
- Commissions in 2 minutes.
- Options available with wired remote Start / Stop & riser rail that can double as a grabrail.  
 Grab riser rail support load: 150kg



Remote.



Grabrail riser.



Riser rail: 940mm  
 Hose length: 2000mm

### Specification

Temperature stability	Thermostatic +/-1°C
Power ratings	8.5kW & 9.5kW (@ 240V)
Adjustable Max temperature	41°C, 43°C or 47°C with Safe-Set™ full lever rotation
Timed auto shutdown	5, 10, 20, or 30 mins (20 mins default)
Start / Stop	Electronic soft press button
Temperature control	Large looped lever
Audible feedback	Start / Stop & timer end
Visual indicators	Power on / timer / low flow illumination & numbered temperature dial
Connection	15mm swivel inlet (up/down)
Water pressure Min / Max	Min 1bar (@ 8l/min) Max 10bar (static)
Water supply	Mains cold water only

Description	Reference	Price
Safeguard+ 8.5 kW	06ES23	£317.00
Safeguard+ 9.5 kW	06ES24	£327.00
Safeguard+ 8.5 kW with Remote	06ES25	£363.00
Safeguard+ Grab 8.5 kW	06ES26	£357.00
Safeguard+ Grab 8.5kW with Remote	06ES27	£398.00


All prices exclude VAT which is charged at the current rate.

## SIMPLY SILENT™ CONTOUR XPELAIR EXTRACTOR FANS

The Simply Silent™ Contour range is the latest generation of domestic extractor fans. With revolutionary Ghost™ air movement technology that makes Simply Silent™ the quietest intermittent bathroom fan on the market that's not only stylish, it's simple to install and maintain.

This new range comes with two choices in speed from 15 l/s to 21 l/s which are selectable at install to provide the most effective control of humidity and odours in bathrooms, shower rooms, cloakrooms and toilets. Typically connected to the room lighting circuit, the fan over-run continues to work after the fan is switched off.

- Square baffle fascia 4", 100mm extract fan with integral over-run timer
- The quietest intermittent bathroom fan on the market. Near silent running minimises noise disturbance.
- Sleek and subtle design, protective fascia can be easily removed for cleaning.
- 2 speeds 15 l/s and 21 l/s - selectable at install.
- Suitable for wall, ceiling, panel and window fitting.
- Complies with building regulations Part F and L.



### Specification

Electrical power rating (W)	<b>6.7 / 7.7</b>
Electrical power rating (W)	<b>54 / 76</b>
Extract performance (l/s)	<b>15 / 21</b>
Sound pressure level dBA@ 3m	<b>16 / 29</b>
Specific fan power (W/l/s)	<b>0.45 / 0.37</b>
Operation speeds	<b>2</b>
IPX Rating	<b>4</b>
Weight	<b>0.65</b>
Adjustable timer	<b>Yes</b>

Sound pressure testing carried out at ISVR,  
University of Southampton - June 2014

Description	Reference	Price
Square Fan with Timer	15SF-C4TS	£42.00
Square Fan with Humidistat & Timer	15SF-C4HTS	£71.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge.  
(Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

# CLOS-O-MAT PALMA VITA

The Clos-o-Mat Palma Vita automatic WC shower toilet provides flushing, washing and warm air drying from one simple operation. It is user friendly for people who have restricted use of their hands. By reducing hand contact, it also provides improved hygiene for all users.

- Simultaneous flushing and washing, a unique feature.
- Improved personal hygiene – cleaning with water not paper.
- Can be used at all times as a conventional WC.
- Combines functions of a WC and bidet with the addition of drying air.
- User-friendly system guarantees the most hygienic toilet performance.
- Clos-o-Mat's **unique** one touch system allows the user to benefit from the toilets automatic functions by just pressing and releasing the elbow pad.
- Simple 'hands free' action automatic flushing, warm water washing and warm air drying.
- UK made in a dedicated factory.
- Customised to suit individual needs.
- Installation and service support available.

Please call for more details & to arrange a demonstration.



### Flushing

Press either elbow pad whilst standing for conventional flushing.

### Washing

Press elbow pad whilst seated and hold for approx 10-15 seconds, flushing and warm air washing will then take place.

### Drying

Warm air drying automatically follows when elbow pad is released.

A range of accessories are available for the Palma Vita automatic WC including soft seats & integrated fold down support arms. More information available on request.



**190kg MAX**  
LOAD CAPACITY  
(30 STONES)

Big John seat available to increase maximum load to 362kg/57st, please ask.

Description	Reference	Price
Palma Vita Standard Spray Douche Arm	04C01	£2580.00
Palma Vita Extended Spray Douche Arm	04C02	£2580.00
Palma Vita Extended Twin Spray Douche Arm	04C03	£2580.00



Complies with current electrical regulations.  
Medical Device Class 1 certified 2007/47/EC.

All prices exclude VAT which is charged at the current rate.

email us: [sales@contour-showers.co.uk](mailto:sales@contour-showers.co.uk)

website: [www.contour-showers.co.uk](http://www.contour-showers.co.uk)

## CONTOUR SHOWER SEATS

- Clip on, easy to clean, plastic moulded seats, with drainage holes.
- Leg adjustment from approximately 440mm - 560mm, Horse shoe seat 435mm - 510mm.
- Short leg option available to lower the seat height from 540mm down to 390mm (not Horse shoe seat).
- Option with backrest has independent flip up armrests.
- Horse shoe seat assists with personal bathing.
- Fold up against the wall when not in use.

### STANDARD SHOWER SEAT




WITHSTANDS UP TO 45 STONES

**285kg MAX**  
LOAD CAPACITY  
(45 STONES)



**LIFE TIME GUARANTEE**



Reference	Price
07SS50	£107.00
07SS50-Short	£107.00

### DELUXE SHOWER SEAT




WITHSTANDS UP TO 45 STONES

**285kg MAX**  
LOAD CAPACITY  
(45 STONES)



**LIFE TIME GUARANTEE**




Reference	Price
07SS51	£232.00
07SS51-Short	£232.00

### HORSE SHOE SHOWER SEAT



**127kg MAX**  
USER WEIGHT  
(20 STONES)



Leg adjustment by approximately 75mm

Reference	Price
07SS54	£114.00

### CONTOUR PADDED SHOWER SEATS


- Clip on, easy to clean, moulded, padded seats for extra comfort.
- Leg adjustment from approximately 460mm - 580mm. Horse shoe seat 470mm - 520mm.
- Short leg option available to lower the seat height from 560mm down to 410mm (not Horse shoe seat).
- Options with backrest has independent flip up armrests.
- Horse shoe seat assists with personal bathing.
- Fold up against the wall when not in use.

#### STANDARD PADDED SHOWER SEAT



**285kg MAX**  
LOAD CAPACITY  
(45 STONES)

**LIFE TIME GUARANTEE**




Reference	Price
07SS52	£131.00
07SS52-Short	£131.00

#### DELUXE PADDED SHOWER SEAT



**285kg MAX**  
LOAD CAPACITY  
(45 STONES)

**LIFE TIME GUARANTEE**




Reference	Price
07SS53	£269.00
07SS53-Short	£269.00

#### PADDED HORSE SHOE SHOWER SEAT



**160kg MAX**  
USER WEIGHT  
(25 STONES)



Reference	Price
07SS55	£293.00

Leg adjustment by approximately 50mm


All prices exclude VAT which is charged at the current rate.

### CONTOUR DUO 2 in 1 SHOWER SEAT

- Unique 2 in 1 wall fixed seat with removable seat section and independent, padded, fold up arm rests.
- Large removable padded seat and back. Leg adjustment by approximately 130mm.
- Easy to clean and folds up when not in use.
- Robust aluminium and polyurethane construction.



**190kg MAX**  
LOAD CAPACITY  
(30 STONES)




Reference	Price
07SS30	£274.00

### BARIATRIC EXTRA WIDE SHOWER SEATS

- Providing the best possible comfort for the larger users.
- Leg adjustment from between 440mm - 620mm, see diagrams.
- Hygienic padded seat has a raised profile for added comfort.
- Stainless steel construction.
- Easy to clean and folds up when not in use.
- Seats tested to withstand up to 50 stones.
- 1 year guarantee.


**317kg MAX**  
LOAD CAPACITY  
(50 STONES)



Reference	Price
07SS60	£257.00

### IMPROVED DESIGN - SEAT WITH BACK & ARM RESTS

- Option with backrest has independent flip up arm rests and is suitable for a shower tray/area 850mm wide or over.
- Seat tested to withstand up to 50 stones, armrests 40 stones.
- Concealed fixing points.
- Improved seating position for additional comfort.



IMPROVED DESIGN

**317kg MAX**  
LOAD CAPACITY  
(50 STONES)  
SEAT LOAD CAPACITY

**254kg MAX**  
LOAD CAPACITY  
(40 STONES)  
ARM LOAD CAPACITY



Reference	Price
07SS61	£312.00

## SHOWER SEAT WITH SINGLE LEG

- Designed in a size and shape that provides maximum comfort.
- Easy to grasp edge to assist with transfer.
- The seat can be folded up against the wall when not in use.
- The seats material, polyurethane, is hard wearing and insulating, and does not feel cold or hard to the touch.
- Can be mounted for sitting heights between 420mm to 540mm.
- Feet can be adjusted individually by 100mm.



The seat has an easy to grab edge to assist with transfers and individual adjustable feet.



**200kg MAX**  
LOAD CAPACITY  
(30 STONES)


Reference	Price
07SS40	£270.00

SHOWER SEATS

## FLUTED GRABRAILS

- Offers the user a reassuring grip in and around the shower area.
- 90° options combine the convenience of a horizontal and vertical grabrail.
- 135° angled grabrail allows people with a weaker grip to use their forearm for extra leverage.
- Variety of styles and sizes available to suit any shower area.
- Made from strong 36mm diameter PVC tubing. Multiple concealed wall fixings, for secure installation.


### STRAIGHT FLUTED GRABRAIL



Available in white or blue to assist the visually impaired.

Length	A	B	White	Blue	Price
300mm	385mm	300mm	03F300W	03F300B	£14.00
450mm	535mm	450mm	03F450W	03F450B	£16.00
600mm	685mm	600mm	03F600W	03F600B	£19.00

### 90° ANGLED FLUTED GRABRAIL



White	Blue	Price
03FA90W	03FA90B	£40.00

### 135° ANGLED FLUTED GRABRAIL




White	Blue	Price
03FA135W	03FA135B	£40.00

### 600x400MM 90° ANGLED FLUTED GRABRAIL



Right hand illustrated



Hand	White	Blue	Price
Left hand	03FA6040LHW	03FA6040LHB	£49.00
Right hand	03FA6040RHW	03FA6040RHB	£49.00

### FLOOR TO CEILING GRABRAILS

- Can be located close to WC or shower area to assist user.
- Sturdy 32mm diameter grabrail, ribbed for a secure grip.
- Optional horizontal support for extra stability.
- Available in white, yellow and blue to assist the visually impaired.




Description	Reference	Price
Floor to Ceiling Grabrail	03F2C	£59.00
Floor to Ceiling Grabrail with Horizontal Support	03F2CH	£80.00

GRABRAILS

### FLAT ENDED GRABRAILS


- Offset or straight, flat ended grabrails suitable for internal or external use by stairs, steps or doorways.
- 25mm diameter, mild steel construction, polyester epoxy coated.
- 2 exposed fixing points at each end.
- Offset grabrail: 67mm clearance, Straight grabrails: 53mm clearance
- Available in white or brown. Brown are predominantly used outdoors to match brickwork.

#### OFFSET GRABRAIL



White	Price
03FE450OSW	£18.00

#### STRAIGHT GRABRAIL




Brown rail detail

Length	A
450mm	455mm
600mm	610mm

Description	White	Brown	Price
450mm Straight	03FE450STW	03FE450STBR	£16.00
600mm Straight	-	03FE600STBR	£18.00

### NEWEL RAIL

- Mounted to the newel post, additional support rail for users who require further stability at the foot of the stairs.
- Made from 25mm diameter steel tubing, epoxy coated white.
- Left or right hand available.



Left hand illustrated

Description	Reference	Price
Left Handed Newel Rail	03NRLH	£29.00
Right Handed Newel Rail	03NRRH	£29.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

## HINGED ARM SUPPORTS

- Mount by the side of a WC, shower or wash basin to provide a safe way of sitting down and standing.
- Arm locks automatically in the upright position.
- Made from 35mm diameter, polyester coated mild steel tubing.
- Integrated toilet roll holder option available.
- Hinged Arm Support with Leg & Toilet Roll Holder: Leg is adjustable by up to 70mm. Screw leg adjustment of up to 40mm.




Available in white or blue to assist the visually impaired.

### HINGED ARM SUPPORT



**170kg MAX**  
LOAD CAPACITY  
(26 STONES)

In vertical and 45° position.




Description	White	Blue	Price
Hinged Arm	03HAW-001	03HAB-001	£69.00
Hinged Arm with Toilet Roll Holder	03HAW-001TR	03HAB-001TR	£69.00

### HINGED ARM SUPPORT WITH LEG & TOILET ROLL HOLDER



**170kg MAX**  
LOAD CAPACITY  
(26 STONES)



In vertical and 45° position.



Description	White	Blue	Price
Hinged Arm with Leg & Toilet Roll Holder	03HALW-001TR	03HALB-001TR	£79.00

### HINGED ARM SUPPORT WITH LEG

- 32mm diameter white powder coated tubing.
- 760mm projection from wall.
- Height adjustable leg for additional support.
- Support leg adjusts to give a finished rail height of 695-870mm.
- Threaded rubber foot for fine height adjustment.
- Available in white only.




Description	Price
Hinged Arm with Leg	03HALW-002 £79.00

### ERGONOMIC HINGED ARM SUPPORTS


- Mount by the side of a WC or wash basin to provide a safe way of sitting down and standing.
- Easy to raise and lower and will stay in the position you leave it in.
- Made from aluminium with stainless steel fittings.
- Oval shape provides a comfortable grip.
- Leg option provides additional support and is adjustable by 120mm.
- Wave Support Arms virtually eliminate the need for height adjustment with built-in height differential of 90mm.
- 900mm long. Longer than standard arms allows support when standing straight, clear of the toilet.

### STRAIGHT HINGED ARM SUPPORT



Description	Reference	Price
Straight WC Support Arm	03HAW-R80S	£111.00
Straight WC Support Arm with Leg	03HAW-R135S	£131.00

### WAVE HINGED ARM SUPPORT



Description	Reference	Price
Wave WC Support Arm	03HAW-R80W	£124.00
Wave WC Support Arm with Leg	03HAW-R135W	£145.00

### STANDING/SITTING ATTACHMENT



Standing/sitting attachment provides a good grip for transferring.

Reference	Price
15GU40	£22.00

### TOILET ROLL HOLDER



The toilet roll holder can be clicked into position and rotated 90° to suit the user.



Reference	Price
15TRW-R	£22.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

### 465mm WIDE WASHBASIN

- 2 tap hole, overflow basin complete with fixing bolts.
- 375mm projection.
- With shroud to cover waste
- Includes chrome slotted waste, plug & chain.
- Supplied with a pair ¼ turn lever action taps.





Description	Reference	Price
465mm Washbasin	04PACK-C001	£79.75

### 550mm WIDE WASHBASINS



- 2 tap hole, overflow basin complete with fixing bolts.
- 410mm projection.
- Available with full or semi pedestal.
- Includes chrome slotted waste, plug & chain.
- Supplied with a pair ¼ turn lever action taps.



Full Pedestal




Semi Pedestal



Description	Reference	Price
550mm Washbasin - Full Pedestal	04PACK-C002	£154.63
550mm Washbasin - Semi Pedestal	04PACK-C003	£164.25

### STANDARD CLOSE COUPLED WC

- Pan seat height 400mm.
- Large footprint with 4 point fixing.
- 705mm projection.
- Single flush cistern with water saving delayed fill inlet valve, not handed.
- Manufactured from white, vitreous china.
- Conforms to BS EN997
- Spatula lever or push button flush option.
- Supplied with white toilet seat and lid with standard hinges.



Progressive weight (Not dropping weight)



Push button option




Spatula lever option

Description	Reference	Price
Standard Height WC - Spatula Lever	04PACK-C004	£167.76
Standard Height WC - Push Button Flush	04PACK-C005	£191.13

### RAISED HEIGHT CLOSE COUPLED WC

- Raised height at 455mm.
- Large footprint with 4 point fixing.
- 750mm projection.
- Single flush cistern with water saving delayed fill inlet valve, not handed.
- Manufactured from white, vitreous china.
- Conforms to BS EN997
- Spatula lever or push button flush option.
- Supplied with white toilet seat and lid with lugs for side transfer.



Progressive weight (Not dropping weight)

Description	Reference	Price
Raised Height WC - Spatula Lever	04PACK-C006	£231.01
Raised Height WC - Push Button Flush	04PACK-C007	£254.38

All prices exclude VAT which is charged at the current rate.

# LOW LEVEL VERSION


Ideal for ground floor use and represents the best value for money. The overall height of the pan with the seat is 480mm which is the correct height for transfer from wheelchair to the WC. The WC seat has lateral movement buffers for safe and steady transfer from wheelchair to WC and also incorporates an antibacterial agent for improved hygiene. The Low Level pack is complete with backrest and rails for comfortable use.

Available in White, Blue or Grey and with a spatula lever or push button flush.

Contour Showers Doc M Packs are approved by LABC (formerly LANTAC) to meet Local Authority requirements. The Low Level pack is delivered in one box with the LABC certificate and layout drawing.

**Low Level pack consists of:**

- 1 x Low Level WC Pan & Cistern
- 4 x 600mm Grabrails
- 1 x 890mm Hinged Arm Support (Friction stay)
- 1 x Backrest & Rail
- 1 x 450mm Basin with Brackets
- 1 x Sequential Mixer Tap
- 1 x Trap
- 1 x Waste
- 1 x Toilet Seat



Description	Reference	Price
White Option with Spatula Lever	10DM-LLW	£360.00
Blue Option with Spatula Lever	10DM-LLB	£360.00
Grey Option with Spatula Lever	10DM-LLG	£360.00
White Option with Push Button Flush	10DM-LL01W	£360.00
Blue Option with Push Button Flush	10DM-LL01B	£360.00
Grey Option with Push Button Flush	10DM-LL01G	£360.00

DOC M PACKS

# CLOSE COUPLED VERSION


The Close Coupled Doc M pack is a stylish option and provides all the features required in the Document M. The basin has 2 tap holes to allow the mixer tap to be positioned closest to the user to eliminate stretching. The sequential basin mixer can be set to control the temperature and can be used with an in-line thermostatic temperature control valve.

Available in White, Blue or Grey and with a spatula lever or push button flush.

Contour Showers Doc M Packs are approved by LABC (formerly LANTAC) to meet Local Authority requirements. The Close Coupled pack is delivered in one box with the LABC certificate and layout drawing.

**Close Coupled pack consists of:**

- 1 x Close Coupled WC Pan & Cistern
- 4 x 600mm Grabrails
- 1 x 890mm Hinged Arm Support (Friction stay)
- 1 x 450mm Basin with Brackets
- 1 x Sequential Mixer Tap
- 1 x Trap
- 1 x Waste
- 1 x Toilet Seat




DOC M PACKS



Wave Spatula Lever



Toilet Seat with Stability Buffers



Push Button Flush



Description	Reference	Price
White Option with Spatula Lever	10DM-CCW	£354.00
Blue Option with Spatula Lever	10DM-CCB	£354.00
Grey Option with Spatula Lever	10DM-CCG	£354.00
White Option with Push Button Flush	10DM-CC01W	£354.00
Blue Option with Push Button Flush	10DM-CC01B	£354.00
Grey Option with Push Button Flush	10DM-CC01G	£354.00





All prices exclude VAT which is charged at the current rate.

# HEIGHT ADJUSTABLE CHANGING BENCH

When a person needs to be bathed lying down, it is important that the bed can be lowered for the person to be transferred, for example to a wheelchair, as well as raised to a suitable height for the carers.

- Electrical height adjustment from 300mm - 1000mm.
- Slats can be easily removed for cleaning and have a hard and soft side which can be used as needed.
- Water tray catches most of the shower water so carers stay drier.
- Can be folded up against the wall when not in use.
- 3 size options available, 1460mm, 1780mm & 2100mm. (Available lying area is 180mm shorter than bench).
- Safety end guards and side rails can be provided. The see-through guard can be folded underneath the bed when not needed and for transfers.






Description	Reference	Price
Changing Bench 1460mm	04SB-R25023	£2660.00
Side Rail 1460mm	04SB-R25034	£375.00
Changing Bench 1780mm	04SB-R25026	£2811.00
Side Rail 1780mm	04SB-R25036	£375.00
Changing Bench 2100mm	04SB-R25029	£2984.00
Side Rail 2100mm	04SB-R25035	£375.00
End Guard	04SB-R25038	£93.00

# SWING WASH BASIN

A wash basin that moves to suit the user and carers needs. Improves hygiene and dignity by moving the basin to within reach of a person in a wheelchair or on a toilet. Carers can move the basin away to create space for safer transfer methods. A swing washbasin is also ideal for smaller rooms where access is limited.

SWING BASIN

- Shape and size of the washbasin ensures users can use the basin from the front or sides.
- White gloss basin is warm to the touch and impact resistant.
- Raised rim makes the basin easy to manoeuvre from any angle.
- Discrete, flexible plumbing is integrated within the arm. Long cover option conceals plumbing.
- Wash basin mixer tap requires 1.5 bar pressure.
- Wash basin arm and basin both swing by 180°.
- Height adjustable options require Flexaxle, supplied separately. Adjustable by 150mm.



**100kg MAX**  
LOAD CAPACITY  
(15 STONES)

**2**  
YEAR  
GUARANTEE

When leaning against the basin.

Description	Reference	Price
Swing Wash Basin, Short Cover	04WB-R41110	£1516.00
Swing Wash Basin, Long Cover	04WB-R41120	£1516.00
Adjustable Swing Wash Basin, Short Cover	04WB-R41130	£1910.00
Adjustable Swing Wash Basin, Long Cover	04WB-R41140	£1910.00
Flexaxle	04WB-RH01	£56.00


All prices exclude VAT which is charged at the current rate.

### GRAVITY WASTE FOR SHOWER TRAYS

- A selection of gravity shower tray wastes with a 50mm water seal trap.
- For use with level access or low level shower trays.
- Removable dip tube or inner cup for easier cleaning.
- 1½” multi-fit outlet, can be swivelled to any desired angle.
- Chrome top flange.

#### STW8B-95 GRAVITY WASTE


- 85mm chrome plated flange and grid fitting.
- Flow rate approximately 26 litres per minute in 15mm head of water.



Description	Reference	Price
STW8B-95	08WT08	£16.00

#### ST90CPB-P-70 GRAVITY WASTE

- 110mm chrome plated flange and petal grid fitting.
- Flow rate approximately 35 litres per minute.
- For use with our Prinia & Eagle TWO trays or trays with a 90mm diameter waste.




Description	Reference	Price
ST90CPB-P-70	08GU23	£25.00

## GRAVITY TRAPS & GULLYS FOR FLOOR FORMERS

- A selection of traps and gravity gullys for use with wetroom floor formers and flexible sheet flooring.
- Stainless steel options available for a modern appearance or if laying a tiled floor.
- Push on cover plate.
- Top access, easy to clean.
- Manufactured in white ABS, will withstand wheelchair loadings.

### CTW01 SHOWER TRAP


- 2 part, 50mm water seal trapped waste for use with a floor former.
- Bolts together for easy installation.
- Removable inner cup for cleaning.
- Flow rate in excess of 26 litres per minute.
- 1½" outlet.
- Tested in accordance with EN274-2:2002



Description	Reference	Price
CTW01 Shower Trap	08CTW01	£57.00

### VSG1 NON-RETURN VALVE GULLY

- For floor former installations where depth is restricted.
- Valve is a substitute for a regulatory water seal trap.
- The weight of the water discharge will open and close the valve.
- Minimum flow rate of 30 litres per minute in 15mm head of water.
- Supplied with FLEXCON6 1½" flexible compression connector.



It is advisable to seek guidance from local building control prior to use as there are currently no regulations to cover the use of anything other than a water seal trap. **NOTE**

Description	Reference	Price
VSG1	08GV01NSC	£60.00



### TSG52 GULLYS

- 2 part, 50mm water seal trapped gully.
- Flow rate in excess of 40 litres per minute.
- Option for use with flexible sheet flooring.
- 150mm stainless steel square option for use with floor tiles, (8mm depth).
- Round stainless steel option for use with vinyl flooring.



TSG52 Standard Vinyl Gully

TSG52 Square Tile Gully

TSG52 Round Vinyl Gully



Description	Reference	Price
TSG52 Standard Gully	08GT52NSC	£71.00
TSG52 Square Tile Gully	08GT52-S	£84.00
TSG52 Round Vinyl Gully	08GT52-R	£84.00



UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.


All prices exclude VAT which is charged at the current rate.

## PUMPED WASTE FOR SHOWER TRAYS

- A selection of shower tray wastes to be used in conjunction with a shower waste pump.
- For level access or low level shower trays.
- Top access, easy to clean. No centre screw for easy access.
- 22mm outlet.
- Chrome top flange.

### UPSW-3-22 WASTE


- Use with level access or low level shower trays, limited floor excavation may be required.
- 85mm chrome plated flange and grid fitting.



Description	Reference	Price
UPSW-3-22	08WU01	£16.00

### UPSW-4 WASTE

- Use with our Eagle TWO or Prinia shower trays or trays with a 90mm diameter waste.
- 110mm chrome plated flange and petal grid fitting.




Description	Reference	Price
UPSW-4	08WU04	£26.00

## PUMPED GULLYS FOR FLOOR FORMERS & WETROOMS

- A selection of pumped traps and gullies to be used in conjunction with a shower waste pump.
- Use with flexible sheet flooring with a floor former or a screeded wetroom.
- Stainless steel options available for a modern appearance or if laying a tiled floor.
- Push on cover plate, with 22mm outlet.
- Top access, easy to clean.
- Manufactured in white ABS, will withstand wheelchair loadings.

### CUW01 PUMPED TRAP


- Use with a floor former and flexible sheet flooring.
- Increased outlet length for easier installation.



Description	Reference	Price
CUW01 Pumped Trap	08CUW01	£46.00

### CUW02 SCREED TRAP

- For use when laying a traditional screeded wet floor area.
- Provides a permanent, non-removable joint between gully and pipework.
- Increased outlet length for easier installation.



Description	Reference	Price
CUW02 Screed Trap	08CUW02	£72.00

### USG1-WH GULLYS

- Option for use with flexible sheet flooring.
- 150mm stainless steel square option for use with floor tiles, (8mm depth).
- Round stainless steel option for use with vinyl flooring.



USG1-WH Standard Vinyl Gully



USG1-WH Square Tile Gully



USG1-WH Round Vinyl Gully



Description	Reference	Price
USG1-WH Standard Gully	08GU01	£62.00
USG1-WH Round Vinyl Gully	08GU21	£75.00
USG1-WH Square Tile Gully	08GU22	£75.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

### SATIN STRIPED CURTAINS

- White satin striped, weighted 4oz, polyester shower curtain.
- 1400mm drop curtain can be used where a shower seat is sited, this will finish high enough to avoid the seats brackets.
- Weighted bottom seam stops a curtain from riding up whilst the shower is in use. Pattern sample illustrated, *above right*.



### PLAIN CONTRACT CURTAINS

- Plain white, weighted, 4oz polyester curtain.
- Rust proof eyelets and stain resistant.
- Pattern sample illustrated, *above right*.

### CAPTIVE CURTAIN SYSTEM

- Eliminates preventable water leaks via the shower curtain.
- By adding a seam to one edge of our curtain range they can be locked in position keeping over sprayed water in the showering area.
- Advantageous in high use situations or if a window or vent encroaches into the shower area.
- Easily removed for washing. Slide the curtain out of the captive section and remove the rubber seam insert, *see below*.
- Use with any size satin striped or plain contract curtain.



		SATIN STRIPED CURTAINS		PLAIN CONTRACT CURTAINS	
Width	Drop	Reference	Price	Reference	Price
1000mm	1000mm	01SS-1010	£26.00	01SW-1010	£21.00
1800mm	1400mm	01SS-1814	£31.00	01SW-1814	£25.00
1800mm	1800mm	01SS-1818	£33.00	01SW-1818	£27.00
1800mm	2000mm	01SS-1820	£35.00	01SW-1820	£29.00
2000mm	2200mm	01SS-2022	£41.00	01SW-2022	£35.00
2130mm	2130mm	01SS-2121	£41.00	01SW-2121	£35.00
2500mm	1800mm	01SS-2518	£49.00	01SW-2518	£43.00
2500mm	2000mm	01SS-2520	£51.00	01SW-2520	£43.00

Captive Curtain System, supplied with tray & doors	01CC01	£18.00
Captive Curtain System, supplied separately	01CC02	£26.00

**PLEASE NOTE:** Curtain sizes are approximate as there may be some slight size variation during the manufacture process.


**STRAIGHT RAIL** *For shower areas between three walls.*

Size	Reference	Price
1000mm	02S1000	£21.00
1500mm	02S1500	£24.00
2000mm	02S2000	£27.00
2500mm	02S2500	£29.00



**'L' SHAPED SQUARE RAIL** *For corner shower areas.*

Size		Reference	Price
A	B		
900mm	900mm	02L9	£40.00
1000mm	1000mm	02L10	£43.00
1200mm	1200mm	02L12	£45.00



**'L' SHAPED RECTANGULAR RAIL** *For corner or larger shower areas.*

Size		Reference	Price
A	B		
750mm	1000mm	02L75X10	£40.00
750mm	1200mm	02L75X12	£40.00
750mm	1500mm	02L75X15	£42.00
750mm	1800mm	02L75X18	£43.00
900mm	1000mm	02L90X10	£39.00
900mm	1200mm	02L90X12	£40.00
900mm	1500mm	02L90X15	£45.00
900mm	1800mm	02L90X18	£46.00



**'U' SHAPED RAIL** *If there is an obstruction in the shower area, for example a window.*

Size	Reference	Price
A + B + C = 3 metres	02U3000	£47.00
A + B + C = 4 metres	02U4000	£52.00



**FLEXITRACK** *Easily bends to any shape.*

- Can be trimmed to size and easily bent to create any shape.
- No special tools required.
- 2500mm in length, includes hooks, gliders, ceiling drop rod support and wall brackets.

Reference	Price
02FLEX2500	£33.00



UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

All prices exclude VAT which is charged at the current rate.

## SHOWER TRAY RAMPS

- Assists with wheelchair access in and out of the shower tray.
- Ramps aluminium edging allows for a smooth transition from the floor to the shower tray.
- Aluminium edging is bonded into the ramp with the exception of ramp R02, which is separate.
- Incorporating  antibacterial protection.
- Yellow ramp edgings available to assist the visually impaired.




### RAMP R01

- 40mm high.
- Compatible with the following shower trays:

Falcon, see page 32

Gannet, see page 40

Description	Reference	Price
Ramp R01	26R01	£158.00




### RAMP R02

- 40mm high.
- Compatible with the following shower trays:

Falcon, see page 32

Gannet, see page 40

Description	Reference	Price
Ramp R02	26R02	£167.00




### RAMP R03

- 60mm high.
- Compatible with the following shower trays:

Dove, see page 48


Nightingale, see page 48

Description	Reference	Price
Ramp R03	26R03	£158.00



## BODY DRYER


- Easily dry the users body properly with minimum effort.
- Warm pressurised air eliminates any rubbing or chaffing of the skin.
- Easily operated control either by the push button located on the unit or via a remote air operated bellows.
- Average air outlet temperature 20°C/68°F.
- Suitable for corner installation in the shower or over a bathtub.
- Regular use helps reduce limescale build up and mould growth in the shower area.
- When used with the Tern rotating, level access shower tray, puts the user in complete control of their showering routine, see page 12.



Reference	Price
04BD-01	£658.00

## CONTOUR WETROOM COVING

- Eliminates the need for installing separate coving and captile strips.
- Rigid white ABS construction.
- Supplied in 2 metre lengths. Can be cut to suit.
- Significantly reduces on site labour.
- Can be screwed to the wall and floor. Will take up any minor undulations within a wall.
- Creates a void between wall and coving which can be used to conceal pipework.




Reference	Price
15CC2000	£29.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

## 55mm, 75mm & 105mm UNIVERSAL TOILET PLINTHS

- Use to permanently raise the WC pan by either 55mm, 75mm or 105mm.
- Screw directly to the floor or tray.
- GRP construction.
- An alternative to using raised toilet seats.
- Universal, can be used with virtually all WC pans.
- Incorporating  antibacterial protection.



Description	Reference	Price
55mm Plinth	26TP55U	£59.00
75mm Plinth	26TP75U	£59.00
105mm Plinth	26TP105U	£59.00

## WINDOW KIT

- Use as an alternative to a 'U' shaped curtain when a window encroaches into the showering area.
- 1400mm drop x 1800mm 4oz satin striped curtain supplied as standard.
- With a 1500mm straight curtain rail.
- Easy to install.
- 'T' Piece and all the relevant fixings needed to assemble the window kit are supplied.



Description	Reference	Price
Window Kit	02WK01	£41.00

## WETROOM TANKING MEMBRANE



- Provides long term waterproofing, to prevent water damage to any rooms below bathrooms, shower and wet floor areas.
- No curing time, ideal for 'fast track' installation. Can be installed in hours, allowing for immediate tiling.
- Will accommodate differential movement between building elements, which is the principle weakness in alternative systems.
- Can be cold applied directly to masonry, concrete, screed, plasterboard and plywood.
- Simple to install forming a strong permanent bond.
- **Kit contents:**  
Primer, Reinforcing Tape, Jointing Compound, Membrane and putty.



Description	Reference	Price
5m <sup>2</sup> Kit	15TS5	£210.00
10m <sup>2</sup> Kit	15TS10	£265.00

## SERVICE PIPE DUCTING

- Overcome above ground pipework obstacles.
- Creates a void approximately 75mm behind the tray allowing clearance for above ground pipework.
- GRP construction.
- Available in 1 or 2 metre lengths, can be cut to size on site.
- Utilise with any shower tray that has an 18mm tiling lip.



Description	Reference	Price
1m Pipe Ducting	26PD1000	£71.00
2m Pipe Ducting	26PD2000	£141.00

UK mainland orders under £100 are subject to a £15.00 postage & packaging charge. (Outside UK additional charge applies). For delivery to a third party address, a £5.00 administration charge applies.

# TRADITIONAL RANGE

Due to our vast range of products, the following shower trays are still available, but in most instances are superseded by other models. Please ask for further information.

The Albatross, Bittern, Cormorant, Crane, Eider, Firecrest, Flamingo, Gadwall, Grebe, Heron, Jay, Linnet, Pipit, Puffin, Robin, Swallow and Wren are no longer shown in this range but are still available to order in advance.

TRADITIONAL RANGE

**EAGL 745**



745 1850

**LEVEL ACCESS**

Left hand illustrated

Reference	Price
EAGL745LH	£527.00
EAGL745RH	£527.00

Suitable for wooden floors  
 Suitable for screeded floors  
 No height difference between tray & floor  
 Suitable for gravity or pumped waste  
 Cut to size bath replacement

**EAGL 845**



845 1850

**LEVEL ACCESS**

Left hand illustrated

Reference	Price
EAGL845LH	£598.00
EAGL845RH	£598.00

Suitable for wooden floors  
 Suitable for screeded floors  
 No height difference between tray & floor  
 Suitable for gravity or pumped waste  
 Cut to size bath replacement

**MALLARD**



1200 750

**LOW LEVEL**

Right hand illustrated

Reference	Price
MALLLH	£390.00
MALLRH	£390.00

Suitable for wooden floors  
 Suitable for screeded floors  
 Above ground tray  
 Suitable for gravity or pumped waste  
 Chamfered edge to front & one side

**40mm HIGH**

**WAGTAIL**



1200 800

**LOW LEVEL**

Right hand illustrated

Reference	Price
WAGTLH	£402.00
WAGTRH	£402.00

Suitable for wooden floors  
 Suitable for screeded floors  
 Above ground tray  
 Suitable for gravity or pumped waste  
 Chamfered edge to front & one side

**40mm HIGH**

**TEAL**



1300 710

**LOW LEVEL**

Right hand illustrated

Reference	Price
TEALLH	£430.00
TEALRH	£430.00

Suitable for wooden floors  
 Suitable for screeded floors  
 Above ground tray  
 Suitable for gravity or pumped waste  
 Chamfered edge to front & one side

**40mm HIGH**

**CHAFFINCH**



1850 750

**LOW LEVEL**

Right hand illustrated  
 Ramp R02 supplied separately

Reference	Price
CHAFLH	£634.00
CHAFRH	£634.00

Suitable for wooden floors  
 Suitable for screeded floors  
 Above ground tray  
 Suitable for gravity or pumped waste  
 Cut to size bath replacement

**40mm HIGH**

**PENGUIN**



800 1800

**LOW LEVEL**

Left hand illustrated

Reference	Price
PENGLH	£528.00
PENGRH	£528.00

Suitable for wooden floors  
 Suitable for screeded floors  
 Above ground tray  
 Suitable for gravity or pumped waste  
 Cut to size bath replacement

**40mm HIGH**

**DIPPER**



1100 750

**STEP-IN**

Right hand illustrated

Reference	Price
DIPPLH	£682.00
DIPPRH	£682.00

Suitable for wooden floors  
 Suitable for screeded floors  
 Suitable for unbreachable floors  
 Above ground tray  
 Suitable for gravity or pumped waste

**90mm HIGH**

**STEP-IN**

**REDWING**

1350 750

Right hand illustrated  
Ramp R05 supplied separately

Reference	Price
REDWLH	£629.00
REDWRH	£629.00

80mm HIGH

Suitable for wooden floors  
Suitable for screeded floors  
Suitable for unbreachable floors  
Above ground tray  
Suitable for gravity or pumped waste

**STEP-IN**

**KITTIWAKE**

1850 750

Left hand illustrated

Reference	Price
KITTLH	£749.00
KITTRH	£749.00

80mm HIGH

Suitable for wooden floors  
Suitable for screeded floors  
Suitable for unbreachable floors  
Above ground tray  
Suitable for gravity or pumped waste

**RAMPS**

**RAMP R04**

80 330 900

Not handed

Reference	Price
26R04	£227.00

80mm HIGH

Compatible with Redwing & Kittiwake  
Assists with access in and out of the tray

**RAMPS**

**RAMP R05**

80 770 900

Not handed

Reference	Price
26R05	£301.00

80mm HIGH

Compatible with Redwing shower tray  
Assists with access in and out of the tray

# CONTOUR

*built-in independence*

## DO

Clean immediately after use to stop the build up of dirt and scale.

Use warm soapy water or water containing a small amount of washing up liquid.

Fix dripping taps / shower heads, this stops stain and limescale build-up. Occasional use of mild bathroom limescale removers is acceptable. Use in accordance with manufacturer's instructions, rinsing well with plenty of water immediately after use.

Minor scratches or abrasions can be polished out with a mild polishing compound.

## DON'T

Never leave soap / shampoo pools as these can cause permanent stains.

Never let cigarettes / naked flames near the shower curtain, shower enclosure or shower tray.

Never use household chemical products such as paint stripper, nail varnish, household bleach, perfume, aftershave or strong disinfectant. These products can cause damage to the acrylic surfaces.

Never use any bathroom limescale remover / mousse or any alkali cleaner unless it has been specifically recommended in the manufacturers instructions.

**DO NOT USE BLEACH**

## GUARANTEE PERIODS

CONTOUR SHOWERS LIMITED PROVIDE A GUARANTEE OF QUALITY FOR SHOWER ENCLOSURES, SHOWER TRAYS AND ANCILLARY EQUIPMENT.

Our Guarantee applies against any manufacturing defects and is offered on all products provided they have been used in the manner they were intended. It does not apply to any products that have been misused or abused in anyway. Products must be installed and cared for in line with fitting instructions and local water bylaws. The guarantee only covers products in domestic use by the consumer.

In the unlikely event that as a result of a manufacturing defect, the product fails within the guarantee period, we offer a free replacement or replacement part/s (or nearest equivalent). Liability is limited to individual products and does not cover consequential loss or damage on installation.

The period of guarantee is as follows:

1. Lifetime guarantee for all shower trays and floor formers, with the exception of the Tern tray which has a 5 year guarantee.
2. Lifetime guarantee for all shower doors, enclosures and cubicles.
3. Lifetime guarantee for Contour Showers branded shower seats (07SS50, 07SS51, 07SS52 & 07SS53).
4. 5 year guarantee for Contour P12 shower waste pumps.
5. Other ancillary products are covered by the terms of the manufacturers guarantee, some of which are more than 1 year, and may require the completion of a registration form, for example:
  - 5 year guarantee provided by Contour Showers for the Redring Selectronic Premier range of electric thermostatic showers.
  - 5 year guarantee for Whale shower waste pumps (Requires registration with Whale, details supplied with product).



The guarantee is transferable, in that it applies to the product not the purchaser, provided registration details are passed over on to the new owner. Please note that the guarantee does not cover general wear and tear and it applies to UK and Republic of Ireland only.

## TERMS & CONDITIONS

### 1. Definitions

In these conditions "the Company" means Contour Showers Limited. "the Customer" means the person, firm or Company who receives the Company's goods or whom the Company's quotation, invoice or acknowledgement of order is addressed; "the goods" means the products supplied by the Company to the Customer.

### 2. Prices

Prices contained in a price list / quotation / catalogues, etc... are those ruling at the date thereof and are for guidance only. The Company reserves the right to adjust the quoted prices to the prices current on the date of despatch. All prices are subject to VAT at ruling rate.

Price Fluctuation: The price and terms are based on conditions ruling at the date thereof and are subject to alteration at any time.

### 3. Terms Of Payment

( a ) Strictly nett within 30 days following the date of the invoice for approved accounts only.

( b ) For no-approved accounts pro-forma payment / cash with order.

( c ) Failure by the customer to pay in accordance with the terms of the contract shall entitle the Company as its options to: (i) with hold future deliveries until such payment has been made and: (ii) charge interest at 3% above base rate for each day the amount remains outstanding after the due date.

### 4. Delivery

( a ) So far as it is reasonably possible the Company will meet quoted delivery dates but such dates are not guaranteed and time shall not be of the essence of this contract.

( b ) The Company shall not be liable to make good to the Customer any damage or loss arising directly or indirectly out of delay in delivery of the goods nor will the company be liable for any consequential or special loss claimed by the customer including without limitation delay detention loss of profit loss of production loss of time charges or liability to third parties.

( c ) Should the company over deliver goods to the customer and should the Customer not inform the Company within 7 days in writing, the Company may at its option either repossess the excess goods or invoice them and be paid forthwith by the Customer for the excess goods at the price ruling at the date of delivery.

( d ) The Company insures all goods until they reach the Customer's premises.

### 5. Passing Of Title In Property

( a ) Ownership of the property in the goods supplied shall not pass to the Customer until all monies owing to the Company in respect of such goods have been paid to the Company in full.

( b ) The risk incidental to the goods shall pass to the Customer with delivery and the Company will not be liable to the Customer for any loss or damage to the goods howsoever occurring after delivery to the Customer.

( c ) If the Customer shall, notwithstanding that he has no title to the goods supplied under paragraph ( a ) hereof, re-sell or agree to re-sell the goods to a third party the Customer shall keep the sale proceeds of such re-sale separate and distinct from the Customers other monies at all times until payment has been made in full by the Customer to the Company and until such payment the Company shall be entitled to such proceeds of re-sale.

Nothing contained in sub-clause ( c ) hereof shall be deemed to create a legal charge over such proceeds of resale but shall impose upon the Customer a fundamental contractual obligation.

### 6. Testing And Inspection

The Company reserves the right to charge the Customer for samples.

### 7. Cancellation Or Variation

( a ) Cancellation of an order can only be made by mutual consent, but where the Company agrees that an order may be cancelled the Company nevertheless reserves the right to levy charges on the Customer for any loss the Company has suffered as a result of the cancellation.

( b ) In the event of the Customer altering the requirements of the contract after instructions have been received by the Company the Company reserves the right to amend the delivery time and to charge for any costs incurred as a result of the alteration. Goods made to special order cannot be cancelled.

### 8. Non – Delivery, Damage Or Loss In Transit

CLAIMS: Any damage or shortage in transit should be reported to the Carrier in writing within three days followed by a claim, within seven days. In the case of non-delivery this loss should be reported within 14 days followed by a claim within 24 days. Neglect to comply with such regulations will invalidate any claim.

### 9. Force Majeure

The Company will make every effort to carry out the Contract in accordance with its terms but it shall not be liable for any failure on its part to perform any term of the contract from any cause outside the Company's control including (but without prejudice to the generality of the foregoing) act of God, war, strike, lock-out or other industrial dispute, fire or flood

### 10. Law And Interpretation

This contract shall be governed by English law and the buyer shall submit to the non-exclusive jurisdiction of the English Courts. If any of these conditions or any part thereof is rendered void or unenforceable by any legislation to which it is subject or by any rule of law it shall be void or unenforceable to that extent and no further.

### 11. Guarantee

The Company does not warrant or guarantee that the goods will be fit for the Customers specific purpose unless exact details of such purpose have been notified in writing to the Company's order. The Company warrants that its shower trays, floor formers, shower doors, enclosures and cubicles will be free from defects in workmanship and materials for the lifetime of the application. The Company will, at its option, repair or replace with a comparable type or size, any defective product or component without charge upon notification, examination and confirmation of the defect. This warranty applies only to manufacturing defects and does not apply to damage caused by abuse, misuse, improper installation or any other type of damage. Consequential damages, including water damage and re-installation costs are excluded.

12. No verbal agreement shall be binding unless confirmed in writing.

# CONTOUR

*built-in independence*

Sales Department  
**01606 592586**

Fax  
**01606 861260**

Technical Support  
**0845 402 9924**

Email  
**sales@contour-showers.co.uk**

Website  
**www.contour-showers.co.uk**

For further information or to place an order call a member of our Sales team who will efficiently deal with your requirement.

Majority of half height units will come boxed as a complete kit including: Shower tray, enclosure, curtain rail with curtain plus all the necessary fixings and fitting instructions.

All our products are fully guaranteed to ensure complete customer satisfaction.

**LIFETIME GUARANTEE** now provided on **ALL** our shower tray's, floor formers, shower doors & enclosures.

Order any stock item before 12 noon, and it will normally be despatched to you, within the UK mainland, for delivery the NEXT WORKING day\*.

\* Does not include deliveries to Ireland, Shower Cubicle or events beyond our control



Certificate Number 12052  
ISO 9001



Find us on  
Facebook & Twitter

